

Rail Modernization Program Plan



Finance and Capital Committee
Washington Metropolitan Area Transit Authority
December 11, 2025

Supporting Your Metro, the Way Forward

Your Metro, the Way Forward provides a long-term strategy and guides day-to-day decision making

Rail Modernization Supports Metro's Strategic Goals

Service Excellence

Deliver safe, reliable, convenient, accessible, and enjoyable service for customers.

Talented Teams

Attract, develop, and retain top talent where individuals feel valued, supported, and proud of their contribution.

Regional Opportunity & Partnership

Design transit service to move more people and connect a growing region.

Financial Stewardship & Resource Management

Manage resources responsibly to achieve a sustainable operating, capital, and energy-efficient model.



1. Vision for Rail Modernization and Automation

Metro rail is facing multiple challenges, with a system that is aging and increasingly outdated

+ Safety



Ongoing trespassing incidents

- Trespassers, trash, slips/trips/falls
- Human error in operation
- Challenging to mitigate with current system design

🕒 Reliability



Aging and unreliable infrastructure

- Inconsistent acceleration and braking by operators and signal system failures causing delays
- Growing maintenance costs; replacement parts are increasingly difficult to source

📊 Capacity



Insufficient room for long-term growth

- Bottlenecks at key locations limit service
- Expensive alternatives to adding capacity

\$ Efficiency



Outdated concept of operations

- Rising operating expenses and inflexible service model



Investing in modernization elements directly addresses Metro's key challenges

Program Elements

Signals



Fleet



Stations/Platforms



Operations



Safety



- **Safer operations:** keep trespassers off tracks, reduce track fires.

Reliability



- **Increase service reliability** up to 99%.
- **Less physical infrastructure** to maintain.

Capacity



- **Increased capacity** with more trains per hour.

Efficiency



- **More productive service** with lower operating costs.
- **Grow ridership & revenue.**

Grades of Automation

Grades of Automation (GoA) are the international standard describing roles and responsibilities for train control systems and on-board staff

Grade of Automation	Type of Train Operation	Setting Train in Motion	Stopping Train	Door Closure	Operation in Event of Disruption
GoA 1 	Manual Operation with Automatic Train Protection (ATP)	Operator	Operator	Operator	Operator
GoA 2 	Semi-automatic Operation with ATP & Automatic Train Operation (ATO)	Automatic	Automatic	Operator	Operator
GoA 3 	Driverless Train Operation (DTO)	Automatic	Automatic	Train Attendant	Train Attendant
GoA 4 	Full Automation, capable of Unattended Train Operation (UTO)	Automatic	Automatic	Automatic	Automatic

Increasing Automation

Metro operated in manual mode as a **GoA 1** system from 2009 to 2025


Metro's Automatic Train Operation (ATO) is a **GoA 2** system

International Standard IEC-62290-1

Metro has always embraced automation

The rail modernization program will continue leveraging cutting-edge technology to provide the best service for the region

Past: Designed for ATO



Metro was designed and built in the 1970s for **automatic train operation (ATO)**, which provides semi-automated operations.

Present: Return to ATO



Metro **returned to using ATO** in December 2024 and plans to use **automatic track inspection vehicles** to monitor the quality of tracks with speed and accuracy.

Future: Rail Modernization



Metro has developed a **rail modernization program plan** to keep pace with advancements in signaling technology and train operation.


1970s

2020s

2025+

Metros are automating across the world

Selection of Grade of Automation 3/4 (GoA 3/4) lines, current and in development



- New Builds + Retrofits
- Retrofits only
- New Builds only

GoA: Grade of Automation



Replacing Metro's signal system is a systemwide need

Planning to start with incremental investment in the Red Line; it has the oldest and most self-contained infrastructure footprint

R Red Line


Route Miles	Stations	Avg. Age	Yards	Junctions
32	27	43	3	0

O S B Orange, Silver and Blue Lines

Route Miles	Stations	Avg. Age	Yards	Junctions
58	43	35	3.5	5

Y G Yellow and Green Lines

Route Miles	Stations	Avg. Age	Yards	Junctions
38	32	34	2.5	3



2. Rail Modernization Program Elements

Components of fully automated rail transit

Fully automated rail systems rely on communications-based train control, platform screen doors, and an updated service model

Signals



Metro Integrated Command & Communications Center (MICC)

Modern communications-based train control (CBTC) with capability to control all aspects of train operations, including detection of obstacles on the track

Fleet



Paris Metro: MP05 rolling stock

Railcars must be equipped with CBTC technology – systems use more onboard equipment with less wayside infrastructure

Stations/Platforms



Honolulu Skyline: Hālawā station

Protect customers on the platform with physical barriers, such as platform screen doors

Operations




[*Greenbelt interlocking*](#)

Service shifts to centralized control, with train frequency adjusted dynamically based on demand rather than fixed schedules

Building blocks of modernization and automation

A new, modern signal system is the foundation for additional investments in platform screen doors and automating operations



Each investment builds upon the foundation of CBTC, with independent value at each step in the sequence

Current track side vs. CBTC


New technology streamlines infrastructure and safety performance

WMATA Legacy 70's & 80's Train Detection



- **3500+** Track circuits with **14,000+** Bonds.
- **700+** Miles of copper cables on the track.
- **100+** Signals on the track.

CBTC use advance communications technology



Benefits:

- Minimal access for maintenance and repair, **improving Safety for WMATA Staff.**
- **Reduce** number and duration of revenue **service disruptions.**

Current control rooms vs. CBTC

New technology streamlines operations and maintenance

WMATA Legacy 70's & 80's Electromechanical Rooms



WMATA Red Line Train Control Room

- **165** Train Control Rooms.
- **28,000+** relays with over **300,000** connections.



CBTC uses powerful computers at the MICC running advanced software



Benefits

- **Fewer** control rooms and failure points.
- Built-in redundancy **improves reliability**.
- **Automated diagnostics** speed up maintenance.

3. Business Case

Rail Modernization Strategy

Metro can improve safety, reliability, capacity, and efficiency with incremental investments



Service Improvements

Rail Modernization and Automation

Expansion

Maximize Use of Existing Assets

Use Metro’s design capabilities and maximize use of existing assets

- Automatic Train Operation
- Return to design speeds up to 75 mph
- Service increases
- More eight-car trains

Modernize the System

Add new capabilities and capacity to Metro’s existing 128-mile system

- Modern signaling (CBTC)
- 8000-series railcars
- Platform screen doors
- Full automation

Expand the System

Expand Metro’s network

- Serve new markets in a growing region

Why Modernization?

Only Modernization addresses each of Metro’s needs

Metro considered three major investment options to address Metro’s multiple challenges, including aging infrastructure and capacity constraints.

-  Meets Metro’s needs
-  Partially meets Metro’s needs
-  Does not meet Metro’s needs

Alternatives	+ Safety	🕒 Reliability	📈 Capacity	\$ Efficiency
1. Maintain the Existing Signal System: Attempt to sustain operation of existing system.	○	●	○	○
2. Expand the Metrorail System: Build a new Metro line to add capacity and coverage.	○	◐	●	○
3. Modernize the System: Upgrade to Communications-Based Train Control (CBTC), integrate with new railcars, and install platform screen doors.	●	●	●	●



How Modernization improves safety

Preventing access to the track and reducing human error in operation improves safety across the system

- **Platform screen doors:** Provide a physical barrier between customers and moving trains, preventing intrusions, falls, and suicides
- **Modern signal systems:** Reduce human error in operation, increasing worker safety, reduced need to access to the right-of-way
- **Consistent speed and acceleration:** smoother rides result in fewer on-board injuries



Post-event platform crowding at Gallery Place

Platform screen doors provide stand-alone benefits and enable automated operations

PSDs enhance safety, reliability, and quality of experience and are a new global standard for rail transit platform amenities

Safety

- A physical barrier between customers and moving trains reduces risk of injury or death

System Reliability

- This barrier prevents intrusions onto the track and limits trash and debris, preventing delays
- Trains can enter stations at full speed, even with crowded platforms

Quality of Experience

- Customers feel safer on crowded platforms
- Peer agencies show PSD-enabled lines rate highest for customer satisfaction
- Additional improvements to platform air quality, energy efficiency for climate control, etc.



Paris Metro: Line 4 Platform Screen Door Testing

Platform screen door implementation can be phased

Copenhagen's fully automated Metro opened in 2002 with a partial installation of platform screen doors, and later installed doors at all stations to improve reliability



Orestad Station, without platform screen doors – 2013

Each of the below-ground stations were built with platform screen doors; above-ground stations used a sensor system to detect obstacles instead of doors



Kastrup Station, with platform screen doors – 2015

Retrofits in 2014-15 replaced sensor systems with more reliable PSDs at above-ground stations while maintaining fully automated operations


How Modernization can address Metrorail system capacity

	Constraint	Solution
	Fleet size	Better utilization of existing railcars
	Yard storage and maintenance capacity	More efficient fleet and yard utilization
	Traction power	Reduced traction power demand
	Core throughput	Shorter headways and automated turnbacks
	Terminal capacity & turnbacks	Turnback flexibility, expanding terminal capacity
	Platform length and dwell time at stations	Optimizes dwell times and passenger flow

Modernization allows Metro to deliver more service at lower cost

Full automation would reduce marginal operating costs by up to 41%, enabling efficient operation of high-frequency service all day to maximize ridership and revenue.

Incremental Cost to Add Rail Service



Increased system efficiency with CBTC could result in up to a 15% reduction in traction power expenses. These costs make up about 20% of Metrorail’s variable costs.

Fully automated operations allow staffing model flexibility that allow much more rail service to be added without additional staff costs.



How Red Line Modernization delivers value

Direct cost savings, new revenue, and time and lives saved will offset the upfront costs of investing in new infrastructure.

R

CBTC

Fully Automated Operations

Metro

- Reduced costs for traction power and signal maintenance from system efficiency.
- Ridership and revenue growth due to faster speeds and better reliability.
Up to \$6M/year of cost reductions
Up to \$10M/year in new revenue

- Significantly reduced costs per car mile from more flexible staffing model.
- Ridership and revenue growth due to faster speeds and better reliability.

Up to \$13M/year of cost reductions
Up to \$14M/year in new revenue

Region

- Passenger travel time savings due to faster speeds and better reliability.

Up to \$58M/year in regional benefits*

- Passenger travel time savings due to faster speeds and better reliability.
- Value of travel time and lives saved due to automation.

Up to \$93M/year in regional benefits*

* Using values of travel time savings, wait time savings, and fatalities avoided from USDOT Benefit-Cost Analysis Guidance.

Benefits of Modernization address Metro's needs

Signal system upgrades, platform screen doors, and automation provide benefits across four key areas of Metrorail service

Benefits



Capacity

- Increase train throughput from 24 trains per hour to 30+ trains per hour



Reliability

- Increased on-time performance up to 98% with automated operations
- Reduced signal incidents, delays



Efficiency

- Faster cycle times
- Lower marginal costs / revenue hour



Safety

- Reduce fatalities and trespass incidents by 80% to 100% with platform screen doors

Benefit estimates based on international benchmarking of capabilities of similar systems, rail operations simulations of Metro's system, and analysis of Metro internal data

The region can realize more benefits with automation

Modernizing Metro’s signal system can incrementally improve Metro’s capacity and reliability; automation enables transformation for safety and efficiency

CBTC can achieve most of the Capacity and Reliability benefits



Capacity



Reliability



Efficiency



Safety




Full automation achieves the remaining service benefits, and most of the Efficiency and Safety benefits

Federal Capital Investment Grants can help fund Modernization

The CIG Core Capacity grant program is a good match for modernization; peer experience indicates federal grants could cover 40% of capital costs

The **Capital Investment Grant (CIG) Core Capacity** program requires a multi-year, multi-step process



*This step can be funded by other federal programs, just not CIG


Red Line Modernization investment will deliver significant benefits

Leveraging local funds to secure competitive federal grants (60% / 40% local/federal split) improves the return on investment considering local funds only



Modernization Investments
Range from CBTC Only to Fully Automated Investment (GoA 4)

Federal Funds: 40%
+ Local Funds & Debt: 60%



- Harnessing federal funds reduces the local expenditures required to deliver the program, **increasing the cost/benefit ratio** of the local funding.
- This also allows the program to achieve a positive net benefit to the region earlier after completion.


Expenditures and benefit figures shown here in year-of-expenditure and year-of-benefit dollars. Costs reflect rough order of magnitude (ROM) estimates for considered program scope and timeline and are likely to change as project development advances.

Rail Modernization enables capital cost savings

Efficiently using existing assets can both add capacity and reduce the amount of investment needed in the future

Compared to Metro's current signal system, Modernization can achieve higher capacity without the need to incur as many large capital expenses:

- **Railcar purchases:** can achieve better service and higher capacity with fewer railcars than would otherwise be required
- **Lifecycle maintenance costs:** a smaller, more efficient fleet reduces the lifecycle expenses for maintenance
- **Rail yard and shop expansion:** can avoid need for some railcar storage expansion projects by operating more efficiently within the existing footprint of Metro's yards



Dulles Yard Service & Inspection Building

Efficiencies reduce capital needs for yards and facilities

Modernization can deliver increased Red Line service more efficiently than the current signal system, reducing the need for fleet and facilities expansion

Red Line scenarios	Cycle time (minutes)	4-minute service requirements (15 trains per hour)		3-minute service requirements (20 trains per hour)		Current storage capacity	Storage deficit
		Trains	Railcars	Trains	Railcars		
ATC (Current)	136	36	346	48	462	388	-74
CBTC	126	34	328	44	424	388	-36
Automation	118	32	308	42	404	388	-16

Reduced vehicle requirements with modernization would require a smaller scope of yard improvement projects to maximize efficiency.

58 fewer railcars would realize approximately \$320 million in lifetime capital purchase and renewal savings

Train requirements include revenue service trains and gap trains.
 Railcar requirements assume 100% eight-car trains on the Red Line during peak service and a 20% spare ratio.

Lifecycle capital cost savings from efficient fleet utilization

Each new railcar is also a long-term commitment to maintain that asset over the railcar's lifespan

Over a 40-year lifespan, each railcar would undergo six separate Scheduled Maintenance Program (SMP) cycles.


Metro's Scheduled Maintenance Program overhauls railcars in stages on a recurring six-year cycle in order to improve vehicle performance and stabilize maintenance.

SMP is part of Metro's Capital Program. These costs are separate from regular operating maintenance costs.

Over the lifetime of a railcar:

~\$3 million
purchase cost

~\$2.5 million total
rehabilitation cost




Efficiencies reduce capital needs for yards and facilities

Modernization can deliver the same increased Red Line service more efficiently...

...reducing lifecycle fleet capital costs and the need for additional rail yard capacity

Red Line 3-min service scenarios	Increase in railcar requirement	Increase in storage need
	Railcars	Railcars
ATC (Current)	+116	+74
CBTC	+78	+36
Automation	+58	+16




Red Line Modernization delivers billions in net benefits to region

Cost savings, new revenues, and regional benefits fully offset upfront costs of infrastructure investments



Regional Net Benefit from Rail Modernization (\$ billions, 2025 \$'s)



4. Migration Strategy

Incremental approach minimizes risk and maximizes learning across lines


System Migration Strategy



Phase 1

Red Line


- Most self-contained line in the system
- Lessons learned will improve implementation processes for the subsequent lines
- Opportunity to leverage 8000-series procurement



Phase 2

Blue Line segments, Orange Line, and Silver Line

- Increases capacity in the most congested sections
- Complex and high requirement for railcars to be equipped with CBTC




Phase 3

Yellow Line, Green Line, and remaining Blue Line sections

- Final rollout phase to complete systemwide CBTC deployment allowing full operational flexibility



Red Line installation segmentation



Criteria for segmentation


- **Four segments for installation and testing:** Dividing installation and testing in a staggered approach to minimize disruptions in the entire line. Commissioning and start of CBTC operations expected to include two or more segments.
- **Operational flexibility:** Segments are sized for installation and testing, balancing complexity against the cost of many smaller segments. Each segment includes a yard connection, pocket track, or crossover to allow turn-backs during tests
- **Safe transitions:** Segment borders will be placed at stations, so operators can safely switch operating during the dwell time.

Current segmentation concept: begin CBTC work with the R1 segment to ensure access to largest Red Line rail yard at Shady Grove

Red Line Modernization incremental investment options


Investments can be phased to add new capabilities over time

Range of Potential Costs and Benefits
Specific costs and benefits vary based on the scope of Platform Screen Door installation and the ultimate Grade of Automation



Roadmap to modernize Metro

Incremental investment begins with CBTC on the Red Line; Timing and scope for additional projects to modernize each trunk line is dependent on funding availability



CBTC: Communications-Based Train Control

PSD: Platform Screen Doors

GoA4: Grade of Automation Level 4 – Full Automation

5. Next Steps


Rail Modernization Next Steps

Program Summary

- Advance the Rail Modernization and Automation Program with a long-term goal of automating operations across the entire rail system
- Develop modernization projects incrementally on a corridor-by-corridor basis:
 - Red Line
 - Orange/Silver/Blue Lines
 - Yellow/Green Lines
- Build internal capacity to deliver these projects efficiently

Next Steps

- Approval of FY2027-2032 Capital Improvement Program, including Red Line advanced signaling
- Advance technical and functional requirements for Rail Modernization & engage stakeholders on Platform Screen Door design
- Prepare grant applications for federal funding



Interior front view of a driverless train, Copenhagen Metro

Appendix 1: Rail Modernization Background

Rail modernization is the path to world-class transit

Investment in modern, automated systems can transform the way Metro operates

Metro has a unique opportunity to align needed investments in our major systems (railcars and signals) by upgrading our capabilities with next-generation technology.

Automation's benefits can transform Metro's operations

1. **Safer:** reduce staff on roadway, keep trespassers off tracks, reduce track fires
2. **More reliable:** increase service reliability up to 99% with precision operation and dynamic adjustments, less physical infrastructure to maintain
3. **Greater capacity:** faster trips and more trains running per hour
4. **More efficient:** more productive service with the same assets and lower operating costs; growing ridership and revenue

Metro is mobilizing to pursue federal funding opportunities, including core capacity grants and low interest financing.

Program Elements

Signals



Fleet



Stations/Platforms



Operations



Full automation is the global standard

Automation is the norm for new rail projects and a growing trend for existing lines

New Lines & Systems



Copenhagen Metro

Designing for driverless operation is the global standard for newly built rail transit lines

Airports



Washington Dulles AeroTrain

More than 25 fully automated systems operate in US Airports; the oldest operating since the 1970s. These are often “must-ride” systems with no alternative, demanding high reliability 24/7

Retrofits



Paris Metro: Line 4 Platform Screen Door Testing

Cities are retrofitting conventional lines (including 100+ year old Lines 1 & 4 in Paris) for full automation to add capacity, improve service, and decrease cost

Components of fully automated rail transit

Fully automated rail systems rely on communications-based train control, platform screen doors, and an updated service model

Signals



Metro Integrated Command & Communications Center (MICC)

Modern communications-based train control (CBTC) with capability to control all aspects of train operations, including detection of obstacles on the track

Fleet



Paris Metro: MP05 rolling stock

Railcars must be equipped with CBTC technology – systems use more onboard equipment with less wayside infrastructure

Stations/Platforms



Honolulu Skyline: Hālawā station

Protect customers on the platform with physical barriers, such as platform screen doors

Operations




[*Greenbelt interlocking*](#)

Service shifts to centralized control, with train frequency adjusted dynamically based on demand rather than fixed schedules.

Metro will have fewer centralized assets to maintain resulting in increased availability and reliability

Today's System:
Relay-based track circuits
Grade of Automation 2

Modern, Automated Systems:
Communications-Based Train Control
Grade of Automation 4 Capable

-  165 localized Train Control Rooms
-  700+ miles of copper cable
28,000+ vital relays
-  3,500+ track circuits

Fewer parts,
Smaller & simpler
footprint,
Better
performance

-  Centralized control;
Significant reduction in
train control rooms
-  Fiber optic infrastructure
Modern zone control
-  Less wayside equipment;
Railcar-based equipment



How Rail Modernization increases capacity

Modern signal systems can safely increase throughput for existing tracks

Potential Service Delivery vs. Tunnel Capacity (trains per hour)

Current Service


Service operating below maximum scheduled throughput of 24 trains per hour

Add Capacity via Expansion (Blue Line Loop concept)


Building a new tunnel adds capacity but inefficiently uses it. Tunnels limited to same maximum throughput

Add Capacity via Modernization


New technology increases throughput and capacity; efficiently uses Metro's existing tunnel infrastructure



20 trains per hour
Capacity utilization: 83%



30 trains per hour
Capacity utilization: 63%



30 trains per hour
Capacity utilization: 100%

Same capacity increase
Same total service delivered
(30 trains per hour)

Modernization can deliver more service from existing infrastructure

Efficient fleet utilization reduces demand for railcar storage expansion

Modernization and Automation can:

- Add Red Line service without the need to increase rail yard storage and maintenance capacity
- Automate yard operations with automatic coupling and uncoupling of trains to more effectively use existing storage tracks
- Automated dispatching can enable train length optimization during the day

Example: Shady Grove Yard

- 166 total railcar storage spaces; 72% of railcars can be stored as 8-car trains




Estimated rail yard capital needs:

- **\$1.3 billion** estimated total system cost
- **\$300-400 million** for Red Line rail yard projects

Rail Modernization enables higher capacity


Existing System (As Is) Train Control System – Fixed Block

- Aging technology
- Increasing maintenance costs
- Decreasing reliability
- Increasing part obsolescence




Future Solution (To Be) CBTC Moving Block

- Alignment with Global Market
- Reduced Operations & Maintenance Costs
- Increased Reliability
- Address Parts Obsolescence
- Improved Roadway Worker Safety



Platform screen doors are a global standard for rail transit systems


Many European systems and most Asian systems have implemented PSDs in some or all stations



Source: The Transport Politic

Automation history

Timeline of selected transit automation milestones



Red Line provides the ideal place to test and validate CBTC before broader deployment



32 route miles



27 stations



3 yards



360 Railcars



Select stations with Platform Screen Doors

Driving Factors


- **Oldest line and least interlining with other Metro lines.**
- **Leverages CBTC provisioning on 8000-Series design.**
- **Delivers full benefits earlier as compared to other lines.**
- **Allows lessons learned to be translated to complex interlined parts of the system.**



Automation will transform current track inspection operations


Automated Track Inspection Vehicles (ATIVs) add new capabilities and sensors Metro does not currently have, and automate Metro's existing visual inspections:

- Automate and improve defect identification and prediction, targeting specific areas for in-person diagnosis and repair
- Use sensors to identify more defects virtually impossible to do with visual inspection alone
- Operate at track speed: reduce needed track time to inspect track and increase in revenue time availability



Appendix 2: Rail Modernization Systemwide Business Case

Retrofitting for automation is less expensive and benefits the whole system faster than building new lines



Federal grants can help fund Modernization

Based on experience from peer agencies, Metro is assuming federal grants can cover 40% of the capital costs for Modernization

Grants for Existing Systems:

Core Capacity: A substantial corridor-based capital investment in an existing fixed guideway system that increases capacity of that corridor

Examples: **BART Transbay Corridor Project;**
MBTA Green Line Transformation; CTA Red & Purple Line Modernization Ph. 1

Grants for New and Expanding Systems:

New Starts: A new fixed guideway system or an extension of an existing system (rail or BRT) with a total project cost \geq \$400M and requesting \geq \$150M in CIG funding. If BRT project, must be at least 51% in dedicated lanes.

Examples: Maryland Purple Line; Silver Line Phase 1

Small Starts: A new fixed guideway system or an extension of an existing system with a total project cost $<$ \$400M and requesting $<$ \$150M in CIG funding

Example: Viers Mill Road Flash BRT

Rail Modernization is a good match for the Capital Investment Grant Program (CIG)

Core Capacity grants focus on projects that add capacity to existing corridors; New Starts and Small Starts focus on expanding systems.

In 2020, **BART was awarded a \$1.17 billion Core Capacity grant** for their modernization program, including CBTC. The grant covers **43% of the program cost.**

How Modernization delivers value systemwide

Direct cost savings, new revenue, and time and lives saved will offset the upfront costs of investing in new infrastructure.

CBTC

Fully Automated Operations

Metro

- Reduced costs for traction power and signal maintenance from system efficiency.
- Ridership and revenue growth due to faster speeds and better reliability.
Up to \$26M/year of cost reductions
Up to \$32M/year in new revenue

- Significantly reduced costs per car mile from more flexible staffing model.
- Ridership and revenue growth due to faster speeds and better reliability.
Up to \$57M/year of cost reductions
Up to \$55M/year in new revenue

Region

- Passenger travel time savings due to faster speeds and better reliability.
Up to \$160M/year in regional benefits*


- Passenger travel time savings due to faster speeds and better reliability.
- Value of travel time and lives saved due to automation.
Up to \$283M/year in regional benefits*

* Using values of travel time savings, wait time savings, and fatalities avoided from USDOT Benefit-Cost Analysis Guidance.

Systemwide modernization delivers significant benefits to the region

Leveraging local funds to secure competitive federal grants (60% / 40% local/federal split) improves the return on investment considering local funds only

Systemwide Modernization Investments
Range from CBTC Only to Fully Automated Investment (GoA 4)



- Harnessing federal funds reduces the local expenditures required to deliver the program, **increasing the cost/benefit ratio** of the local funding.
- This also allows the program to achieve a positive net benefit to the region earlier after completion.

Expenditures and benefit figures shown here in year-of-expenditure and year-of-benefit dollars. Costs reflect rough order of magnitude (ROM) estimates for considered program scope and timeline and are likely to change as project development advances.



Total Estimated Program Cost

	FY2025 \$s	Year of Expenditure \$s	Projected Local YOE \$ <i>60%/40% Local/Federal Split</i>
Communications-Based Train Control (CBTC) and GoA 4 systems	\$3.3 billion	\$4.7 billion	\$2.8 billion
Platform Screen Doors	\$2.1 billion	\$2.9 billion	\$1.8 billion
Total	\$5.4 billion	\$7.6 billion	\$4.6 billion

Costs reflect rough order of magnitude (ROM) estimates for considered program scope and timeline and are likely to change as project development advances.



Appendix 3: Case Studies

Barcelona L9 and L10

Barcelona's Line 9 and Line 10 are fully automated lines using the same trunk line through the center of Barcelona. L9 opened in 2009, followed by L10 in 2010. These two lines were the first fully automated Metro line in Spain. All stations are equipped with platform screen doors.

Trains are controlled from the Metro Control Center at La Sagrera. **L9 also inter-operates with other Metro lines.**

The S9000 rolling stock is capable to run with or without drivers and are also utilized on Barcelona's other lines.



Transports Metropolitans de Barcelona



L9 (orange) and L10 (blue) in Barcelona's transit network



Copenhagen Metro

Copenhagen's driverless, light metro system embodies efficient and reliable transit service that also connects to other public transportation


Copenhagen Metro opened in 2002 as a fully automated driverless (GoA 4) system, with a **partial installation of platform screen doors**

Hybrid operations

- Each of the below-ground stations were built with full-height platform screen doors
- above-ground stations did not include doors

Copenhagen Metro originally opted for an **obstacle detection system (ODS)** over platform screen doors at outdoor stations.

However, they **have since converted from ODS to platform gates at outdoor stations** because of performance and reliability issues; too many false positives of track intrusions had trains stopping more frequently.




London Elizabeth Line

London's Elizabeth Line is one of Europe's largest infrastructure projects related to rail rapid transit, which opened in 2022.

It incorporated a CBTC signaling system for the central section of the line (operating like a Metro) while also being compatible with mainline rail signaling systems for the east and west surface sections (operating on shared tracks with commuter and intercity trains).

The Elizabeth Line's CBTC system is integrated with platform screen doors for additional safety and efficiency. It currently operates at GoA 2 in the core section but **uses GoA 3 automation for reversing moves at terminals.**



Madrid Metro Lines 6 and 8

Metro de Madrid is retrofitting two lines for fully automatic operation by 2030 to reduce passenger journey times and improve capacity and reliability.

- **Line 6** – circular line, system’s busiest – completed by 2027
- **Line 8** – connects to airport – completed by 2030

The program was announced in February 2024 and work began March 2025 on Line 6.

The program includes overnight work and segment shutdowns to complete rapidly in just two years.

The program includes major contracts with CBTC and platform doors suppliers. The **timing aligns with new fleet procurement and planned track and power infrastructure renewal** on these lines.





Montreal REM

The **Réseau Express Métropolitain** (Metropolitan Express Network) is a fully automated medium capacity Metro system, built as a complementary network to Montreal's existing Metro system.

The system was announced in 2016; Phase 1 opened in July 2023. The ultimate system will be 42 miles long with 26 stations. Portions of the system are a **conversion of a commuter rail line to automated rapid transit**.

Automation and high frequency service provide the needed capacity, allowing for smaller station footprints (250' long, vs. 500' on the Montreal Metro) to reduce construction cost. All stations have platform screen doors.

Map of REM system, overlaid on Montreal Metro and Commuter Rail



Paris Metro

Paris Métro is a pioneer for automated transit. In 1998, Paris opened **Line 14**, the first high-capacity automated line in the world.

Following the success of Line 14, officials decided in 2004 to retrofit the 100+ year old **Line 1** (Métro's busiest line) to fully automated operations. Métro completed the retrofit in 2012.

Since then, Métro has continued to build new fully automated lines and retrofit existing ones.

The Grand Paris Express will add 120 miles of automated lines with four new lines & two extensions. Meanwhile, Métro converted **Line 4** to automated operation in 2022 and will convert **Line 13** by 2035.

Notable Figures:

- OTP improved from 79% to 98%
- Capable of 85 second headways

1




Line 1 Retrofit



Line 14 New Build



Line 4 Retrofit



Grand Paris Express:

- 120 miles of new Metro routes (opening 2024 to 2030)
- Four new lines (15, 16, 17 & 18)
- Two line extensions (11 & 14)
- 68 new stations

Singapore MRT

Singapore's Mass Rapid Transit (MRT) system operates six lines serving 143 stations over 150 route miles of track. The entire system is capable of automated operation.

The system opened in 1987 with two lines, the North-South Line and East-West Line. Both of the original lines were **upgraded to CBTC and driverless operation by 2019**.

Four additional lines opened between 2003 and 2020, each fully automated and driverless.

Singapore pioneered the use of **Platform Screen Doors**. The initial lines included platform screen doors at all underground stations, while every above-ground station was retrofit to include doors by 2012.

Automation Retrofits

- North-South Line (red): opened 1987, automated in 2019
- East-West Line (green): opened 1987, automated in 2019




Stockholm Metro

Stockholm Metro (or Tunnelbana) system operates three lines with branching service patterns over 66 route miles of track. Stockholm is currently expanding the system with three line extensions and one new Automated Metro line (the Yellow line).

Yellow Line automation will enable several efficiencies in construction: Trains and station platforms will be ~250' long (vs. ~500' on older lines) and will feature platform screen doors. The line will be isolated from the rest of Stockholm's interlined network.

Long-term plans include converting other lines to GoA 4 automation. The Metro canceled a CBTC contract for the Red Line in 2017 due to delays. However, **new C30 trains delivered in 2019 are designed for future driverless operation.**



Toronto Ontario Line

Toronto's Ontario Line is the city's newest transit project. With a projected service date of 2031, the line will include a **new fleet of driverless subway trains** fitted with CBTC that supports GoA 4 with **90 second headways**. Capacity is expected to be ~30,000 passengers per hour.

The Ontario Line will not be compatible with Toronto's other subway lines, using a different track gauge, train control system, and shorter trains. The line will achieve high capacity with increased frequency from automation. Automation also enables smaller station footprints, reducing construction cost.

Part of the project includes the construction of a **new digital control center, platform screen doors, and a maintenance and storage facility**. Hitachi rail will maintain and operate trains and the line for 30 years.

