



WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY  
600 Fifth Street, NW, Washington, DC 20001-2651

**AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT**

1. AMENDMENT/MODIFICATION  
Amendment No. 2
2. EFFECTIVE DATE  
(Same as block 17)
3. ISSUED BY PURCHASING SECTION  
Office of Procurement and Materials  
3500 Pennsy Drive  
Landover, Maryland 20785
4. ADMINISTERED BY (if other than block 3)

5. CONTRACTOR  
NAME AND ADDRESS

6. FORM TYPE  
(Check only one)

AMENDMENT OF SOLICITATION FQ-16004
MODIFICATION OF

(Street city  
county state,  
and Zip Code)

**7. THIS BLOCK APPLIES ONLY TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in block 10. The hour and date specified for receipt of Offers  is extended,  is not extended. Offerors must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods; (a) By signing and returning 1 copies of this amendment; (b) by acknowledging receipt of this amendment on each copy of the offer submitted; or (c) by separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE ISSUING OFFICE PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If, by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided such telegram makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

**8. ACCOUNTING AND APPROPRIATION DATA (if required)**

**9. THIS BLOCK APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS**

- (a) This Change Order is issued pursuant to supplemental agreement.  
The Changes set forth in block 10 are made to the above numbered contract/order.
- (b) The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data, etc.) set forth in block 10.
- (c) This Supplemental Agreement is entered into pursuant to mutual agreement of the parties.  
It modifies the above numbered contract as set forth in block 10.

**10. DESCRIPTION OF AMENDMENT/MODIFICATION**

1. Date for Receipt of Bids is extended to September 30, 2015 no later than 2:00p.m
2. Solicitation FQ-16004 is revised as follows:  
For Scope 4EQ. 1.14, Tires: the description is changed from PNEUMATIC to PNEUMATIC, TREADED TIRES FOR OUTSIDE USE  
For Scope 5EQ.1.13, Tires: the description is changed from STANDARD COMPOUND SMOOTH TREAD to SMOOTH CUSHION TIRES FOR INSIDE USE ON SMOOTH HARD SURFACES.


11  CONTRACTOR/OFFEROR IS REQUIRED TO SIGN THIS MODIFICATION AND RETURN \_\_\_\_\_ COPIES TO ISSUING OFFICE.

CONTRACTOR/OFFEROR IS NOT REQUIRED TO SIGN THIS DOCUMENT

12. NAME OF CONTRACTOR/OFFICE

15. WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY

BY \_\_\_\_\_  
(Signature of person authorized to sign)

BY  9.15.15  
(Signature of Contracting Officer)

13. NAME AND TITLE OF SIGNER (Type or print) 14. DATE SIGNED 16. NAME OF CONTRACTING OFFICER (Type or print) 17. DATE SIGNED

George Lewis

# FY-16 EQUIPMENT PURCHASE

**ITEM 4EQ**

**SVMT  
EQUIPMENT SPECIFICATION**

## FORKLIFT, SIT-DOWN OPERATOR, DIESEL

**4A: w/ ENCLOSED HARD CAB**

**4B: w/ ENCLOSED SOFT CAB**

**AMENDMENT 02**

*Revised 9/15/2015*

# FY16 EQUIPMENT PURCHASE

**ALL SPECIFICATIONS ARE THE MINIMAL ACCEPTABLE UNLESS STATED OTHERWISE**

**CONTRACTOR MUST PROVIDE NEW, UNUSED EQUIPMENT. THE EQUIPMENT SHALL COMPLY AND CONFORM TO ALL APPLICABLE FEDERAL, STATE AND LOCAL ENVIRONMENTAL SAFETY, AND HEALTH REGULATIONS IN FORCE AT THE TIME OF DELIVERY**

**\*\*\*\*\* ATTENTION CONTRACTORS \*\*\*\*\***

**CONTRACTORS SUBMITTING A BID PROPOSAL MUST CHECK THE BOX IN COLUMN "B" IF THEIR PROPOSED SPEC MEETS OR EXCEEDS WMATA SPEC & STATE IN COLUMN "C" THE EXCEPTION TO THE WMATA SPEC IF THERE IS ONE**

**\*\*\*\*\* THIS COMPLETED DOCUMENT MUST BE SUBMITTED WITH CONTRACTOR BID PROPOSAL \*\*\*\*\***

	A		B	C
	SPECIFICATION		MEETS SPEC	EXCEPTIONS
<b>SECTION 1: GENERAL INFORMATION</b>				
1.1	YEAR	MOST CURRENT MODEL YEAR		
1.2	TYPE	COUNTERBALANCED LIFT TRUCK w/ OVERHEAD GUARD		
1.3	CHASSIS TYPE	SIT-DOWN OPERATOR		
1.4	LOAD CAPACITY	7,000 LBS.		
1.5	POWER	DIESEL ENGINE, TIER 4 FINAL EMISSIONS CERTIFICATION		
1.6	DPF REGENERATION	MUST BE FULLY AUTOMATIC REGEN WITH NO INPUT FROM THE OPERATOR		
1.7	AIR CLEANER	DUAL ELEMENT		
1.8	WHEEL CONFIGURATION	TWO (2) FRONT, TWO (2) REAR		
1.9	HYDRAULIC ACTIVATION	THREE (3) SECTION VALVE w/ LEVERS		
1.10	INCHING CONTROL	YES		
1.11	ENGINE START	KEY SWITCH		
1.12	AUTO DECELERATION SYSTEM	YES		
1.13	CONTROLLED RAMP ROLL-BACK	YES		
1.14	TIRES	PNEUMATIC, TREADED TIRES FOR OUTSIDE USE		
1.15	BRAKES	STANDARD TYPE SERVICE & PARKING		
1.16	STEERING	POWER		
<b>SECTION 2: MAST, FORKS, CARRIAGE &amp; DIMENSIONS</b>				
2.1	MAST			
2.1.1	OVERALL LOWERED HEIGHT (OALH)	91" MAXIMUM		
2.1.2	TILT: FORWARD/ BACKWARD	SIX (6) DEGREES/ TEN (10) DEGREES		
2.1.3	FREE FORK HEIGHT (FFH)	5.7"		
2.1.4	MAX FORK HEIGHT (MFH)	131"		
2.2	FORKS	HOOK TYPE - PALLET		
2.3	FORK DIMENSIONS	2" H x 5" W x 48" L		
2.5	LOAD CENTER	24"		
2.6	SIDESHIFTER	39.5" W, ITA CLASS III INTEGRAL		
2.7	CARRIAGE	CLASS III HOOK TYPE		
2.8	LOAD BACKREST HEIGHT	48" H		
<b>SECTION 3: ELECTRICAL</b>				
3.1	LIGHTING			
3.1.1	HEADLIGHT(S)	LED TYPE		
3.1.2	BRAKE & TAIL LIGHT(S)	LED TYPE		
3.1.3	BACK-UP LIGHT(S)	LED TYPE		
3.1.4	REAR WORK LIGHT(S)	LED TYPE, SWITCH CONTROLLED		
3.2	BATTERY	12V, MAINTENANCE FREE		

**SECTION 4: OPERATOR COMPARTMENT**

4.1	<b>OPERATOR CAB</b>		
4.1.1	<b>ITEM 4A: FACTORY INSTALLED HARD SIDED CAB</b>		
4.1.2	<b>CAB SHALL INCLUDE:</b>		
4.1.2.1	INTEGRATED OVERHEAD GUARD w/ CLEAR ROOF COVER		
4.1.2.2	REMOVEABLE HARD DOORS w/ SLIDING WINDOWS		
4.1.2.3	REAR WINDOW		
4.1.2.4	HEATER/ DEMISTER		
4.1.2.5	WINDSHIELD WIPERS AND WASHERS		
4.1.2.6	INTERIOR DOME LIGHT		
4.1.2.7	AIR CIRCULATING FAN		
4.2.1	<b>ITEM 4B: FACTORY INSTALLED SOFT SIDED CAB</b>		
4.2.2	<b>CAB SHALL INCLUDE:</b>		
4.2.2.1	INTEGRATED OVERHEAD GUARD w/ CLEAR ROOF COVER		
4.2.2.2	REMOVEABLE SOFT DOORS w/ WINDOWS		
4.2.2.3	REAR WINDOW		
4.2.2.4	HEATER/ DEMISTER		
4.2.2.5	WINDSHIELD WIPERS AND WASHERS		
4.2.2.6	INTERIOR DOME LIGHT		
4.2.2.7	AIR CIRCULATING FAN		
4.3	<b>STEERING WHEEL/ COLUMN</b>	ADJUSTABLE w/ SPINNER KNOB ON WHEEL	
4.4	<b>INFORMATION DISPLAY</b>	HOUR METER, FUEL LEVEL, SPEEDOMETER, PARK BRAKE INDICATOR, FASTEN SEAT BELT REMINDER, TRAVEL DIRECTION INDICATOR	
4.5	<b>SEAT</b>	ADJUSTABLE, FULL-SUSPENSION, HEAVY DUTY BLACK VINYL	
4.6	<b>FLOOR MAT</b>	HEAVY DUTY BLACK RUBBER	
4.7	<b>MIRRORS</b>	BOTH SIDES	
4.8	<b>DIRECTION CONTROL</b>	MOUNTED ON LEFT SIDE OF STEERING COLUMN	
4.9	<b>HOUR METER</b>	YES	

**SECTION 5: SAFETY**

5.1	<b>HORN</b>	ON STEERING WHEEL, OPERATOR ACTIVATED	
5.2	<b>OPERATOR RESTRAINT SYSTEM</b>	ANTI-CINCH, ORANGE COLORED, SEAT BELT	
5.3	<b>OPERATOR PRESENCE SYSTEM</b>	YES	
5.4	<b>INGRESS/ EGRESS HANDLES</b>	YES	
5.5	<b>WARNING LIGHT</b>	KEYSWITCH ACTIVATED, AMBER LED FLASHING STROBE LIGHT MOUNTED ON OVERHEAD GUARD	
5.6	<b>FIRE EXTINGUISHER</b>	MOUNTED FOR EASY ACCESS	
5.7	<b>REVERSE ALARM</b>	AUDIBLE WARNING	
5.8	<b>REAR GRAB HANDLE</b>	w/ HORN BUTTON	
5.9	<b>PARK BRAKE WARNING</b>	AUDIBLE ALARM IF PARK BRAKE IS NOT APPLIED WHEN OPERATOR LEAVES THE SEAT	
5.10	<b>STEP(S)</b>	w/ ANTI-SLIP TREADPLATE	

<b>SECTION 6: TRAINING</b>			
6.0	TRAINING SHALL BE FURNISHED BY THE CONTRACTOR TO PROVIDE THE KNOWLEDGE AND SKILLS REQUIRED TO PROPERLY AND SAFELY OPERATE, MAINTAIN AND REPAIR THE EQUIPMENT		
6.1	TRAINING AREAS:		
6.1.1	EQUIPMENT FAMILIARIZATION		
6.1.2	EQUIPMENT OPERATION		
6.1.3	SAFETY		
6.1.4	EQUIPMENT MAINTENANCE		
6.2	TRAINING SCHEDULING:	CONTRACTOR SHALL CONTACT THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE TO SCHEDULE TRAINING SESSION(S)	
<b>SECTION 7: WARRANTY</b>			
7.1	COMMENCEMENT	STARTS ON UNIT IN SERVICE DATE	
7.2	COVERAGE		
7.2.1	FULL TRUCK	12 MONTHS/ 2,000 HOURS	
7.2.2	POWERTRAIN	24 MONTHS/ 4,000 HOURS	
7.2.3	EXTENDED FULL COVERAGE	60 MONTHS/ 10,000 HOURS	
7.3	DOCUMENTATION	MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	
<b>SECTION 8: INSPECTION &amp; DELIVERY</b>			
8.0	DELIVERY SCHEDULE	CONTRACTOR SHALL PROVIDE LEAD TIME FOR THE COMPLETED UNIT(S) TO BE DELIVERED TO WMATA. DELIVERY & ACCEPTANCE MUST BE COMPLETED BY JUNE 30, 2016 OR EARLIER	
8.1	EQUIPMENT INSPECTION	WMATA RESERVES THE RIGHT TO PERFORM ON-SITE ACCEPTANCE INSPECTIONS AT THE CONTRACTORS FACILITIES PRIOR TO DELIVERY	
8.2	FIRST ARTICLE INSPECTION (FAI)	A MINIMUM OF ONE (1) UNIT FROM EACH ITEM NUMBER AWARDED SHALL BE INSPECTED BY THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO ANY UNITS FROM THE ITEM GROUP BEING DELIVERED TO WMATA SITE. CONTRACTOR SHALL CONTACT SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE TO SCHEDULE INSPECTION	
8.3	DELIVERY NOTIFICATION	CONTRACTOR MUST NOTIFY THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	

8.4	<b>COMPLIANCE PRIOR TO PAYMENT</b>	AFTER EQUIPMENT DELIVERY TO WMATA SITE AND BEFORE FINAL ACCEPTANCE AND PAYMENT IS ISSUED THE CONTRACTOR WILL BE NOTIFIED WITH DOCUMENTATION OF ANY DEFICIENCIES FOUND AS REQUIRED BY THE SPECIFICATION OR FLEET CONDITIONS. FINAL ACCEPTANCE WILL NOT OCCUR UNTIL AFTER REMEDY OF ALL DEFICIENCIES AND AN INSPECTION BY AN AUTHORIZED WMATA EMPLOYEE HAS BEEN PERFORMED. FAILURE TO COMPLY WITH CHANGES TO CONFORM TO ANY CLAUSE OF THE SPECIFICATIONS OR INSPECTION, WITHIN 30 DAYS AFTER NOTICE IS GIVEN OF SUCH CHANGES, SHALL ALSO BE CAUSE FOR REJECTION OF THE EQUIPMENT. PERMISSION TO KEEP OR STORE THE EQUIPMENT IN ANY BUILDING OWNED OR OCCUPIED BY WMATA OR ITS USE BY WMATA DURING THE ABOVE SPECIFIED PERIOD SHALL NOT CONSTITUTE ACCEPTANCE.		
-----	------------------------------------	---	--	--

**SECTION 9: ADDITIONAL REQUIREMENTS & INFORMATION**

9.1	<b>SERVICE BULLETINS</b>	ALL FACTORY SERVICE BULLETINS MUST BE SENT, PREFERABLY BY EMAIL, TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE		
9.2	<b>OPERATION &amp; MAINTENANCE MANUALS</b>	ONLINE MANUALS ARE PREFERRED. IF ONLINE MANUALS ARE NOT AVAILABLE THEN THREE (3) COMPLETE SETS OF MANUALS (CD FORMAT) PER EQUIPMENT TYPE MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE		
9.3	<b>SUB-CONTRACTOR(S)</b>	CONTRACTOR SHALL PROVIDE COMPANY NAME, POINT OF CONTACT AND DETAILS OF WARRANTY LENGTH & COVERAGE FOR ANY MATERIALS AND/ OR SERVICES PROVIDED BY SUB-CONTRACTOR(S). THIS INFORMATION MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE		
9.4	<b>SERVICE VEHICLES FLEET MANAGER:</b>	ALAN CECIL 3500 PENNSY DRIVE BUILDING F, ROOM 109 HYATTSVILLE, MD. 20785 PHONE: 301-618-7572 EMAIL: agcecil@wmata.com		

9.5	<b>CONSUMABLE PARTS LIST</b>	CONTRACTOR SHALL PROVIDE A LIST OF THE MANUFACTURER & MANUFACTURER PART NUMBERS FOR THE ORIGINAL EQUIPMENT (OE) REPLACEMENT PARTS THAT ARE NORMAL WEAR/ MAINTENANCE PARTS. THIS DOCUMENT MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	
-----	------------------------------	---	--

<b>CONSUMABLE PARTS LIST</b>			
------------------------------	--	--	--

ITEM 4EQ	FORKLIFT, SIT-DOWN OPERATOR, DIESEL
----------	-------------------------------------

YEAR, MAKE & MODEL:
---------------------

<b>ENTER NA IN MANUFACTURER &amp; PART NUMBER CELLS IF PART IS NOT APPLICABLE TO THIS SPECIFICATION</b>
---

	DESCRIPTION	MANUFACTURER	PART NUMBER
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			

<b>28</b>			
<b>29</b>			
<b>30</b>			
<b>31</b>			
<b>32</b>			

# FY-16 EQUIPMENT PURCHASE

**ITEM 5EQ**

**SVMT  
EQUIPMENT SPECIFICATION**

## FORKLIFT, SIT-DOWN OPERATOR, PROPANE

**AMENDMENT 01**

**AMENDMENT 02**

*Revised 9/15/15*

# FY16 EQUIPMENT PURCHASE

**ALL SPECIFICATIONS ARE THE MINIMAL ACCEPTABLE UNLESS STATED OTHERWISE**

**CONTRACTOR MUST PROVIDE NEW, UNUSED EQUIPMENT. THE EQUIPMENT SHALL COMPLY AND CONFORM TO ALL APPLICABLE FEDERAL, STATE AND LOCAL ENVIRONMENTAL SAFETY, AND HEALTH REGULATIONS IN FORCE AT THE TIME OF DELIVERY**

**\*\*\*\*\* ATTENTION CONTRACTORS \*\*\*\*\***

**CONTRACTORS SUBMITTING A BID PROPOSAL MUST CHECK THE BOX IN COLUMN "B" IF THEIR PROPOSED SPEC MEETS OR EXCEEDS WMATA SPEC & STATE IN COLUMN "C" THE EXCEPTION TO THE WMATA SPEC IF THERE IS ONE**

**\*\*\*\*\* THIS COMPLETED DOCUMENT MUST BE SUBMITTED WITH CONTRACTOR BID PROPOSAL \*\*\*\*\***

	A	B	C
	SPECIFICATION	MEETS SPEC	EXCEPTIONS
<b>SECTION 1: GENERAL INFORMATION</b>			
1.1	YEAR	MOST CURRENT MODEL YEAR	
1.2	TYPE	COUNTERBALANCED LIFT TRUCK w/ OVERHEAD GUARD	
1.3	CHASSIS TYPE	SIT-DOWN OPERATOR	
1.4	LOAD CAPACITY	8,000 LBS.	
1.5	POWER	PROPANE INTERNAL COMBUSTION ENGINE	
1.6	AIR CLEANER	DUAL ELEMENT	
1.7	WHEEL CONFIGURATION	TWO (2) FRONT, TWO (2) REAR	
1.8	INCHING CONTROL	YES	
1.9	ENGINE START	KEY SWITCH	
1.10	HYDRAULIC ACTIVATION	THREE (3) SECTION VALVE w/ LEVERS	
1.11	AUTO DECELERATION SYSTEM	YES	
1.12	CONTROLLED RAMP ROLL-BACK	YES	
1.13	TIRES	SMOOTH CUSHION TIRES FOR INSIDE USE ON SMOOTH HARD SURFACES	
1.14	BRAKES	STANDARD TYPE SERVICE & PARKING	
1.15	STEERING	POWER	
1.16	LPG TANK BRACKET	SWING-OUT, DROP-DOWN TANK BRACKET FOR TANK REPLACEMENT	
1.17	FUEL SENSOR	VISUAL WARNING ON DASH FOR LOW LPG LEVEL	
<b>SECTION 2: MAST, FORKS, CARRIAGE &amp; DIMENSIONS</b>			
2.1	MAST		
2.1.1	OVERALL LOWERED HEIGHT	96" MAXIMUM	
2.1.2	OVERALL EXTENDED HEIGHT	193"	
2.1.3	TILT: FORWARD/ BACKWARD	EIGHT (8) DEGREES/ FIVE (5) DEGREES	
2.1.4	FREE FORK HEIGHT (FFH)	6"	
2.1.5	MAX FORK HEIGHT (MFH)	143"	
2.2	FORKS	HOOK TYPE STANDARD TAPER	
2.3	FORK DIMENSIONS	2" H x 5" W x 48" L	
2.4	LOAD CENTER	24"	
2.5	SIDESHIFTER	INTEGRAL	
2.6	CARRIAGE	CLASS III HOOK TYPE	
2.7	LOAD BACKREST HEIGHT	48" H	
<b>SECTION 3: ELECTRICAL</b>			
3.1	LIGHTING		
3.1.1	HEADLIGHT(S)	LED TYPE	
3.1.2	BRAKE & TAIL LIGHT(S)	LED TYPE	
3.1.3	BACK-UP LIGHT(S)	LED TYPE	

3.1.4	REAR WORK LIGHT(S)	LED TYPE, SWITCH CONTROLLED		
3.2	BATTERY	12V, MAINTENANCE FREE		
<b>SECTION 4: OPERATOR COMPARTMENT</b>				
4.1	OVERHEAD GUARD	w/ CLEAR ROOF COVER		
4.2	STEERING WHEEL/ COLUMN	ADJUSTABLE w/ SPINNER KNOB ON WHEEL		
4.3	INFORMATION DISPLAY	HOUR METER, FUEL LEVEL, SPEEDOMETER, PARK BRAKE INDICATOR, FASTEN SEAT BELT REMINDER, TRAVEL DIRECTION INDICATOR		
4.4	SEAT	ADJUSTABLE, FULL-SUSPENSION, HEAVY DUTY BLACK VINYL		
4.5	FLOOR MAT	HEAVY DUTY BLACK RUBBER		
4.6	MIRRORS	BOTH SIDES		
4.7	DIRECTION CONTROL	MOUNTED ON LEFT SIDE OF STEERING COLUMN		
4.8	HOUR METER	YES		
<b>SECTION 5: SAFETY</b>				
5.1	HORN	ON STEERING WHEEL, OPERATOR ACTIVATED		
5.2	OPERATOR RESTRAINT SYSTEM	ANTI-CINCH, ORANGE COLORED, SEAT BELT		
5.3	OPERATOR PRESENCE SYSTEM	YES		
5.4	INGRESS/ EGRESS HANDLES	YES		
5.5	WARNING LIGHT	KEYSWITCH ACTIVATED, AMBER LED FLASHING STROBE LIGHT MOUNTED ON OVERHEAD GUARD		
5.6	FIRE EXTINGUISHER	MOUNTED FOR EASY ACCESS		
5.7	REVERSE ALARM	AUDIBLE WARNING		
5.8	REAR GRAB HANDLE	w/ HORN BUTTON		
5.9	PARK BRAKE WARNING	AUDIBLE ALARM IF PARK BRAKE IS NOT APPLIED WHEN OPERATOR LEAVES THE SEAT		
5.10	STEP(S)	w/ ANTI-SLIP TREADPLATE		
<b>SECTION 6: TRAINING</b>				
6.0	TRAINING SHALL BE FURNISHED BY THE CONTRACTOR TO PROVIDE THE KNOWLEDGE AND SKILLS REQUIRED TO PROPERLY AND SAFELY OPERATE, MAINTAIN AND REPAIR THE EQUIPMENT			
6.1	TRAINING AREAS:			
6.1.1	EQUIPMENT FAMILIARIZATION			
6.1.2	EQUIPMENT OPERATION			
6.1.3	SAFETY			
6.1.4	EQUIPMENT MAINTENANCE			
6.2	TRAINING SCHEDULING:	CONTRACTOR SHALL CONTACT THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE TO SCHEDULE TRAINING SESSION(S)		
<b>SECTION 7: WARRANTY</b>				
7.1	COMMENCEMENT	STARTS ON UNIT IN SERVICE DATE		
7.2	COVERAGE			
7.2.1	FULL TRUCK	12 MONTHS/ 2,000 HOURS		
7.2.2	POWERTRAIN	36 MONTHS/ 6,000 HOURS		
7.2.3	EXTENDED FULL COVERAGE	60 MONTHS/ 10,000 HOURS		
7.3	DOCUMENTATION	MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE		

<b>SECTION 8: INSPECTION &amp; DELIVERY</b>			
8.0	<b>DELIVERY SCHEDULE</b>	CONTRACTOR SHALL PROVIDE LEAD TIME FOR THE COMPLETED UNIT(S) TO BE DELIVERED TO WMATA. DELIVERY & ACCEPTANCE MUST BE COMPLETED BY JUNE 30, 2016 OR EARLIER	
8.1	<b>EQUIPMENT INSPECTION</b>	WMATA RESERVES THE RIGHT TO PERFORM ON-SITE ACCEPTANCE INSPECTIONS AT THE CONTRACTORS FACILITIES PRIOR TO DELIVERY	
8.2	<b>FIRST ARTICLE INSPECTION (FAI)</b>	A MINIMUM OF ONE (1) UNIT FROM EACH ITEM NUMBER AWARDED SHALL BE INSPECTED BY THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO ANY UNITS FROM THE ITEM GROUP BEING DELIVERED TO WMATA SITE. CONTRACTOR SHALL CONTACT SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE TO SCHEDULE INSPECTION	
8.3	<b>DELIVERY NOTIFICATION</b>	CONTRACTOR MUST NOTIFY THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	
8.4	<b>COMPLIANCE PRIOR TO PAYMENT</b>	AFTER EQUIPMENT DELIVERY TO WMATA SITE AND BEFORE FINAL ACCEPTANCE AND PAYMENT IS ISSUED THE CONTRACTOR WILL BE NOTIFIED WITH DOCUMENTATION OF ANY DEFICIENCIES FOUND AS REQUIRED BY THE SPECIFICATION OR FLEET CONDITIONS. FINAL ACCEPTANCE WILL NOT OCCUR UNTIL AFTER REMEDY OF ALL DEFICIENCIES AND AN INSPECTION BY AN AUTHORIZED WMATA EMPLOYEE HAS BEEN PERFORMED. FAILURE TO COMPLY WITH CHANGES TO CONFORM TO ANY CLAUSE OF THE SPECIFICATIONS OR INSPECTION, WITHIN 30 DAYS AFTER NOTICE IS GIVEN OF SUCH CHANGES, SHALL ALSO BE CAUSE FOR REJECTION OF THE EQUIPMENT. PERMISSION TO KEEP OR STORE THE EQUIPMENT IN ANY BUILDING OWNED OR OCCUPIED BY WMATA OR ITS USE BY WMATA DURING THE ABOVE SPECIFIED PERIOD SHALL NOT CONSTITUTE ACCEPTANCE.	
<b>SECTION 9: ADDITIONAL REQUIREMENTS &amp; INFORMATION</b>			
9.1	<b>SERVICE BULLETINS</b>	ALL FACTORY SERVICE BULLETINS MUST BE SENT, PREFERABLY BY EMAIL, TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE	
9.2	<b>OPERATION &amp; MAINTENANCE MANUALS</b>	ONLINE MANUALS ARE PREFERRED. IF ONLINE MANUALS ARE NOT AVAILABLE THEN THREE (3) COMPLETE SETS OF MANUALS (CD FORMAT) PER EQUIPMENT TYPE MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	

9.3	<b>SUB-CONTRACTOR(S)</b>	CONTRACTOR SHALL PROVIDE COMPANY NAME, POINT OF CONTACT AND DETAILS OF WARRANTY LENGTH & COVERAGE FOR ANY MATERIALS AND/ OR SERVICES PROVIDED BY SUB-CONTRACTOR(S). THIS INFORMATION MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	
9.4	<b>SERVICE VEHICLES FLEET MANAGER:</b>	ALAN CECIL 3500 PENNSY DRIVE BUILDING F, ROOM 109 HYATTSVILLE, MD. 20785 PHONE: 301-618-7572 EMAIL: agcecil@wmata.com	
9.5	<b>CONSUMABLE PARTS LIST</b>	CONTRACTOR SHALL PROVIDE A LIST OF THE MANUFACTURER & MANUFACTURER PART NUMBERS FOR THE ORIGINAL EQUIPMENT (OE) REPLACEMENT PARTS THAT ARE NORMAL WEAR/ MAINTENANCE PARTS. THIS DOCUMENT MUST BE SUBMITTED TO THE SERVICE VEHICLES FLEET MANAGER OR DESIGNATED WMATA EMPLOYEE PRIOR TO EQUIPMENT DELIVERY TO WMATA SITE	

# CONSUMABLE PARTS LIST

ITEM SEQ

FORKLIFT, SIT-DOWN OPERATOR, PROPANE

YEAR, MAKE & MODEL:

**ENTER NA IN MANUFACTURER & PART NUMBER CELLS IF PART IS NOT APPLICABLE TO THIS SPECIFICATION**

DESCRIPTION

MANUFACTURER

PART NUMBER

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32