


**WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
SUPPLY AND SERVICE CONTRACT CQI15235**



**WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
600 Fifth Street, NW, Washington, DC 20001-2651
AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT**

1. AMENDMENT/MODIFICATION A001	2 June 23, 2015
3. ISSUED BY PURCHASING SECTION Office of Procurement and Materials Lily Cheung, Procurement Manager 600 Fifth Street, NW Washington, DC 20001	4. ADMINISTERED BY (If other)
5. CONTRACTOR NAME AND ADDRESS	6. FORM TYPE (Check only one) <input checked="" type="checkbox"/> AMENDMENT OF SOLICITATION NO CQI15235 DATED <u>June 18, 2015</u> (see block 7)
7. THIS BLOCK APPLIES ONLY TO AMENDMENTS OF SOLICITATIONS <input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in block 10. The hour and date specified for receipt of Offers <u> </u> is extended, <input checked="" type="checkbox"/> is not extended. Offerors must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods; (a) By signing and returning <u>two</u> copies of this amendment; (b) by acknowledging receipt of this amendment on each copy of the offer submitted; or (c) by separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE ISSUING OFFICE PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION	
8. ACCOUNTING AND APPROPRIATION DATA (If required)	
9. THIS BLOCK APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS	
10. DESCRIPTION OF AMENDMENT/MODIFICATION A. Solicitation CQI15235 is amended to incorporate Appendix A Questions and Answers. Except as provided herein, all terms and conditions of the document referenced in block 10, as heretofore changed, remain	
11. CONTRACTOR/OFFEROR IS REQUIRED TO SIGN THIS MODIFICATION AND RETURN COPIES TO ISSUING OFFICE.	<input type="checkbox"/> CONTRACTOR/OFFEROR IS NOT REQUIRED TO SIGN THIS DOCUMENT
12. NAME OF CONTRACTOR/OFFICE BY _____ (Signature of person authorized to sign)	15. WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY BY  (Signature of Contracting Officer)

Appendix A
Questions and Answers
CQI15235

1) a) Please provide the type of fixture/fixtures this 175W (Item # 185) is installed in:

R62400222	LAMP,HID:175W, TEXT:STD PK 12/CASE	1080
-----------	------------------------------------	------

b) Can we propose an LED replacement to the 175W HID?

Answer: a) Kindly propose brand or equal to the following specifications:

Brand	Philips	Manufacturer Part Number	MH175/U
Manufacturer Code	28733-4	Product Category	HID
Product Type	Standard Metal Halide	Case Pack	12
Finish	Clear	Wattage	175
Shape	ED28	Base	Mogul (E39)
Color Tone	Cool White	Initial Lumens	13,500
CRI	65	Operating Position	Universal
Average Life (Hours)	10,000	HID Start Technology	Probe Start
HID Lamp ANSI Code	M57	Fixture Type	Enclosed
Kelvin Temperature	4000		

DIMENSIONS

Length (in)	8.31	Height (in)	8.31
Width (in)	3.5	Diameter (in)	3.5

b) WMATA will not accept LED lamps as an alternate to HID lamps. You may propose alternate HID lamps that are equal in form, fit and function.

2) Please provide drawings for Item R59750180 & R76900136.

Answer: Drawing for R59750180 is not available. Photograph for 76900136 is attached.

3) Do I have to propose on all the items?

Answer: Please select the items you wish to propose. You do not have to propose on all the items.

4) Will I be disqualified for future solicitations if I do not propose on this solicitation?

Answer: No, you will not be disqualified from future solicitations if you do not propose on this opportunity, CQI15235. Please check WMATA's website for current opportunities.

5) Is there an in person meeting on June 29, 2015?

Answer: No, please follow the instructions on the solicitation and submit your proposal via email to PRMT_inventory@wmata.com. Please do not send us hard copies.

6) We request drawings for all items on the Bid Sheet.

WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
SUPPLY AND SERVICE CONTRACT CQ115235

Answer: Many of the items are considered Commercially Off the Shelf products. We will try and provide drawings for specific requested items if available.

7) Please provide drawings for the following items:

- WMATA# 881550377 - Rear ABS Interface Harness
- WMATA# 881710003 – Harness: Wiring
- WMATA# 881720022 – Cable: Power 12V Battery to Switch Cable
- WMATA# 881720027 – Cable: Battery, 24V
- WMATA# 882550556 – Panel: Light Dimmer, Switch Assembly
- WMATA# A18317091 – Sensor: Speed Assembly

Answer: Drawings for these items are not available at this time.

8) We have one item to respond to on this solicitation and that is on the Latex glove for 600 boxes. We already supply this glove to you in size large but I notice we are not listed as a vendor. It could be because it is a different size? Would that mean we have to respond as a non approved product?

Answer: Each WMATA item ID is unique and requires approval, regardless of size. Please respond as an alternate product.

9) Is this bid for all types of parts or are there escalator parts included?

Answer: The following are escalator / elevator parts:

R38100083	ROLLER,ELEVATOR:PICK-UP ASSEMBLY,FITS HOISTWAY DOOR LOCK, TEXT:LH
R38100084	ROLLER,ELEVATOR:PICK-UP ASSEMBLY,FITS HOISTWAY DOOR LOCK, TEXT:RH
R38100822	ASTRAGAL, HOISTWAYDOOR: CONTACT WIDTH: 17/32-IN RADIUS, FLANGE ANGLE: 45-DEGREES, HEIGHT: 9/16-IN, LENGTH: 7-FT, MATERIAL: RUBBER, TYPE: MALE, USED ON: CENTER AND SIDE OPENING
R38101255	ROLLER,ELEVATOR:HANGER,3-5/8 IN OD,MAC CAR DOOR OPERATOR
R38300128	MOTOR:DRIVE,7.5 HP,FITS ESCALATOR, TEXT:MOTOR, AC: ENCLOSURE: TEFC, FITS: MOD 100 AND MOD 250, FRAME: 213T, FREQUENCY: 60, MOUNT: FOOT, PHASE: 3, POWER: 7-1/2 HP, SPEED: 1175, USED ON: MODULAR DRIVE, VOLTAGE: 480; BALDOR

10) Can you please supply a list of <our> internal part numbers for this request?

Answer: Many of the items are considered Commercially Off the Shelf products. WMATA is not familiar with your product catalog to provide you a cross reference.

11) ABB DRIVE (R38302298) PART IS OBSOLETE. Do you want a replacement part?

Answer: Yes, please propose a replacement part and include the following:

- A. Submission of proof which illustrates that the product complies and adheres to appropriate industry standards for form, fit and function, including but not limited to ASTM, FMVSS, MIL, SAE or UL;
- B. Accredited Independent Laboratory analysis report on the proposed part;
- C. Physical characteristics, properties, specifications and drawing of the proposed part;
- D. Copy of Quality Assurance Program and Quality Assurance Manual for the proposed part; or,
- E. Contact names and telephone numbers of other Municipalities with Transit fleets and/or other users that utilize the proposed part.

12) We believe that the above-referenced bid is misleading to potential bidders concerning the quantities listed for refrigerants.

Answer: This is an Indefinite Delivery Indefinite Quantity contract with a minimum guaranteed quantity identified on the Bid sheet and a maximum of \$250,000 per item. WMATA may address needs exceeding \$250,000 under separate solicitation. This solicitation CQI15235 is for a period of performance of one year from award.

13) There were no estimated quantities for R-134a or R11.

Answer: This is an Indefinite Delivery Indefinite Quantity contract with a minimum guaranteed quantity identified on the Bid sheet and a maximum of \$250,000 per item. WMATA will place delivery orders against the awarded contract.

14) As you may be aware, the refrigerants industry is highly specialized, extremely volatile and heavily regulated by the EPA. Consequently, this commodity, whenever possible, should not be included in solicitations with other gases or other HVAC items, parts and supplies. In order to ensure that the bidders for your refrigerant gas requirements have the necessary and adequate capabilities of handling refrigerant gases with centralized efficiency, savings in cost, quality of product and reliability of supply, **we urge you to either update the quantities of refrigerant items listed in the above RFP to more clearly reflect WMATA's actual estimated requirements or remove refrigerants from the above-referenced RFP and send out a separate bid for refrigerants.**

Answer: This is an Indefinite Delivery Indefinite Quantity contract with a minimum guaranteed quantity identified on the Bid sheet and a maximum of \$250,000 per item. WMATA will place delivery orders against the awarded contract. At this time, WMATA will not modify the Bid Sheet to exclude the refrigerants.

15) Do we fill out the Solicitation, Offer, and Award form?

Answer: Yes, please complete and include with your proposal.

16) In the Solicitation, Offer and Award. Do we need to fill out Contract No. (not given any)

Answer: There is no need to complete Contract No field.

17) Also in Quantity, do we use WMATA's past orders as reference? And What would we fill under Unit (does this mean Unit of Measurement?).

Answer: There are 5 fields on the bid sheet which are highlighted yellow. These are for your response. The fields are:

“Bid price per UOM”. UOM is Unit of Measure. Please enter your proposed price **per the UOM that is listed for that part.**

“Manufacturer/Brand Name Quoted” – please enter the name of the manufacturer, or the brand name for each part that you are submitting a proposal.

“P/N Quoted” – please enter the part number that you are quoting.

“Lead Time (Days)” – please enter the amount of time that it will take you to deliver each item after receiving an order for that item.

“Comments” – this is an optional field where you can provide additional information about the part you are proposing.

18) There seems to be some areas to fill out such as Pre-Award Evaluation Data. such as Financial Resources (Cash on Hand), this all needs to be done too correct?

Answer: Yes, please complete and include with your proposal.

19) And what is the Quality Assurance Program & Quality Assurance Manual? Is this only if applies to the product?

Answer: The following QAAW are available on WMATA's website:

- QAAW procedure #113-05, Receiving and Inspection
- QAAW procedure #113-06, First Article

WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
SUPPLY AND SERVICE CONTRACT CQ115235

- QAAW procedure #113-07, Control of NonConforming Material
- QAAW procedure #113-15, Material Review Board
- QAAW procedure #113-25, ESD Control

20) KAX-30 part number. Is there any way I could get more information on this fuse?

Answer: Without knowing which fuse you are inquiring, please propose an equal and include the following:

- A. Submission of proof which illustrates that the product complies and adheres to appropriate industry standards for form, fit and function, including but not limited to ASTM, FMVSS, MIL, SAE or UL;
- B. Accredited Independent Laboratory analysis report on the proposed part;
- C. Physical characteristics, properties, specifications and drawing of the proposed part;
- D. Copy of Quality Assurance Program and Quality Assurance Manual for the proposed part; or,
- E. Contact names and telephone numbers of other Municipalities with Transit fleets and/or other users that utilize the proposed part.

21) WMATA ID. NUMBER	QTY	UOM	DESCRIPTION	QUESTION
063000209	600	BX	GLOVES, RUBBER: LENGTH: 9 ½ IN...	HOW MANY GLOVES PER BOX?

Answer: Quantity is 100 per box.

22) WMATA ID. NUMBER	QTY	UOM	DESCRIPTION	QUESTION
066000471	36	EA	HANDLE: SLEDGE HAMMER, 36 IN	IS THIS PRICED BY BOX OF 12 OR 1 EACH

Answer: Please provide a price for each hammer. If you provide in a certain box size, please enter that information in the comments field.

23) WMATA ID. NUMBER	QTY	UOM	DESCRIPTION	QUESTION
R51200113	40	EA	WRENCH, ADJUSTABLE: FIRE HYDRANT	WOULD YOU ACCEPT A DIFFERENT WRENCH THAN SPECIFIED?

Answer: The item needs to be as specified. If you are proposing a wrench which you believe to be an equal, please provide the following:

- A. Submission of proof which illustrates that the product complies and adheres to appropriate industry standards for form, fit and function, including but not limited to ASTM, FMVSS, MIL, SAE or UL;
- B. Accredited Independent Laboratory analysis report on the proposed part;
- C. Physical characteristics, properties, specifications and drawing of the proposed part;
- D. Copy of Quality Assurance Program and Quality Assurance Manual for the proposed part; or,
- E. Contact names and telephone numbers of other Municipalities with Transit fleets and/or other users that utilize the proposed part.

24) WMATA ID. NUMBER	QTY	UOM	DESCRIPTION	QUESTION
R76900136	500	EA	SIGN: END WORK AREA	CAN I GET THE SPECIFICATIONS & DRAWINGS?

Answer: See Answer to # 2.

END OF AMENDMENT A001

END WORK AREA