
- XI. Exterior Finish: Proposer will be responsible for delivering the vehicles complete with exterior paint and graphics as approved. Proposer must submit for WMATA approval a graphic design for the body type proposed that takes the theme used on the older van design and transfers that to the proposed platform as depicted. As specified below, the lower portion of the sides and rear of the vehicles will be painted in metallic paint with clear-coat finish in the following color: Red Pantone 485C.
  - a. Graphics: White and blue stripes, vehicle numbering (including vehicle numbers for roof application that are of sufficient size as to be easily viewed by law enforcement aircraft), WMATA Logo, MetroAccess graphics and ISA symbol depicted will consist of self-adhesive vinyl, produced on reflective material.
  - b. Reflective 3M and Oralite Reflexite material as follows:
    - 1. Blue Reflective / 3M 680CR-75 (side stripes / MetroAccess logo / vehicle numbers, roof numbers)
    - 2. White Reflective / 3M 680CR-10 (side stripes)
    - 3. Red Reflective / 3M 680CR-72 (MetroAccess logo)
    - 4. Blue Diamond Grade Reflective Conspicuity Vinyl / 3M 973-75 (rear door stripe)
    - 5. White Diamond Grade Reflective Conspicuity Vinyl / 3M 973-10 (rear door stripe)
    - 6. WMATA "M" Logo Black printed on white reflective / 3M 680CR-10 (driver and ambulatory entrance door)
    - 7. ISA Symbol Blue printed (to match 3M 680-75) on white reflective 3M 680CR-10 (wheelchair lift door)
    - 8. Conspicuity Tape Orafol Reflexite DOT C-2 V82-5549 2" red/white conspicuity tape and Orafol Reflexite DOT C2 V82-15649 1" white conspicuity tape. All Conspicuity tape shall be of single layer prismatic construction and maintain reflectivity after impact. (sides and back of vehicle)
  - c. Vehicle graphics sets will be comprised as follows:
    - 1. QTY 2 Blue Reflective side stripes (1 roadside, 1 curbside)
    - 2. QTY 2 White Reflective side stripes (1 roadside, 1 curbside)
    - 3. QTY 1 Blue Diamond Grade 973 (stripe rear door)
    - 4. QTY 1 White Diamond Grade 973 (stripe rear door)
    - 5. QTY 6 Conspicuity tape 2" red/white tape the width of and at the lowest painted portion of the rear doors and 1" white tape the width of and just above the window on the rear doors. 1" white tape to be included along roof line and lower skirts on both sides of the van.
    - 6. QTY 2 WMATA "M" logos (8" tall x 6.25" wide) (driver's door and ambulatory entrance door)
    - 7. QTY 4 –MetroAccess red & blue logos (40" x 5") (upper body. Location to be approved by WMATA)
    - 8. QTY 1 ISA Symbol (Wheelchair lift door)

- 9. QTY 6 4-digit vehicle number sets (Blue)
- 10.QTY 1 Vehicle roof number set (Blue) 18" high
- 11. QTY 1 Exterior Railroad Crossing warning decal
- d. All preparation work must be performed in such a manner as to ensure full paint adhesion without color bleed-through. Surfaces requiring paint must be sanded, chemically treated and fully primed prior to the application of paint. Painted surfaces must be finished with clear-coat.
- e. Successful proposer must provide written warranty of paint work covering 100% materials and labor for a minimum period of two (2) years.
- f. All contractors are required to submit as part of their bid package, a complete description of their preparation, painting and finishing processes including quality control and quality assurance procedures.
- g. WMATA reserves the right to inspect the contractor's facilities prior to the final award of this contract. Additionally, as part of this award, WMATA reserves the right to perform periodic quality assurance inspections of vehicles in various stages of preparation and completion.
- h. Below is the old base graphic from which the proposer must design an equivalent design fitting their proposed platform.
  - a. The MetroAccess logos have changed and are depicted in the second drawing.



b. The drawing below roughly displays the newer style MetroAccess logo. More specific drawings will be provided to the successful proposer.

