


**WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
600 Fifth Street, NW, Washington, DC 20001
AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. AMENDMENT / MODIFICATION NO. 03		2. EFFECTIVE DATE April 13, 2016	
3. ISSUED BY Office of Procurement and Materials 600 Fifth Street, NW, 3 rd Floor Washington, DC 20001		4. ADMINISTERED BY (if other than block 3) Charlene Spollen Contract Administrator	
5. CONTRACTOR NAME AND ADDRESS		6 FORM TYPE (CHECK ONLY ONE) <input checked="" type="checkbox"/> AMENDMENT OF SOLICITATION No. FQ16045 DATED <u>March 24, 2015</u> (see block 7) <input type="checkbox"/> MODIFICATION OF CONTRACT NO. _____ DATED _____ (See block 9)	
7 THIS BLOCK APPLIES ONLY TO AMENDMENTS OF SOLICITATIONS <input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in block 10. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended. Offerors must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods; (a) By signing and returning <u>1</u> copies of this amendment, or (b) by acknowledging receipt of this amendment on each copy of the offer submitted which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE ISSUING OFFICE PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If, by virtue of this amendment you desire to change an offer already submitted, such change may be made by request, provided such request makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.			
8. ACCOUNTING AND APPROPRIATION DATA (If required) N/A			
9. THIS BLOCK APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS (a) <input type="checkbox"/> Change Order is issued pursuant to _____. The Changes set forth in block 10 are made to the above numbered contract/order. (b) <input type="checkbox"/> The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data, etc.) set forth in block 10. (c) <input type="checkbox"/> This Supplemental Agreement is entered into pursuant to _____.			
10. DESCRIPTION OF AMENDMENT/MODIFICATION. This Amendment No. 03 to RFP No. FQ16045 answers questions submitted by contractors. See the following pages for contractor questions and WMATA's answers. The revised Attachment C, (now Attachment C-1) Unit Price Schedule is part of this Amendment No. 03 and is posted on the WMATA web page. All other terms and conditions of the initial RFP FQ16045 remain in full force and effect. END OF AMENDMENT No. 03 (Except as provided herein, all terms and conditions of the document referenced in block 6, remain in full force and effect through the contract period.)			
11. CONTRACTOR/OFFEROR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN <u>1</u> COPY(IES) TO ISSUING OFFICE.		11. <input type="checkbox"/> CONTRACTOR/OFFEROR IS NOT REQUIRED TO SIGN THIS DOCUMENT	
12. NAME OF CONTRACTOR/OFFICE BY _____ (Signature of person authorized to sign)		12. WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY BY  (Signature of person authorized to sign)	
13. NAME AND TITLE OF SIGNER (Type or print)	14. DATE SIGNED	15. NAME OF CONTRACTING OFFICER (Type or print)	17. DATE SIGNED
		Allison R. Robertson	April 13, 2016

RFP No. FQ16045
Electronic Safety and Security
Amendment No. 03

A. See Attachment C-1 – Unit Price Schedule (UPS) to this Amendment No. 03 to the RFP. Attachment C-1 is in Excel format. Pricing must be submitted in the Excel format provided and is for evaluation purposes only.

B. Note change to evaluation Factor 2 below (Question No. 8).

Question 1:

Regarding drawing no. ESS-T54-T100, please provide the make and type of the Gate Drive Motor.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order. Required work hours will be determined at the Task Order level.

Question 2:

Is the existing conduit in good, working condition as shown on drawing ESS-T54-T100?

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order. Required work hours will be determined at the Task Order level.

Question 3:

Please confirm that all door hardware, door strikes and power supplies will be provided and installed by others.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order. Required work hours will be determined at the Task Order level.

Question 4:

Please confirm that all Network Infrastructure including switches, patch panels and patch cords will be provided by WMATA.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order. Required work hours will be determined at the Task Order level.

Question 5:

Regarding Sample Task Order 2 - drawing ESS-T68-T613, please provide required quantities of equipment/devices for Line item 7, 15, 16, 17.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order. Required work hours will be determined at the Task Order level.

Question 6:

Regarding the insurance requirements for the FQ16045 bid. Are we to have all the insurance coverage listed in the RFP at the time of submittal of the bid, or at the start of the contract. In the past, when submitting our bids on various WMATA contracts we attached our most current COI and a letter from our insurance company stating that if our company is awarded the contract, we would be able to obtain all the required coverage.

Is the letter sufficient for this bid, or do we need to have all of the coverage in place when submitting our bid?

Answer: Yes, a letter is sufficient for the proposal response. Contractors will provide copies of certificates of insurance meeting the requirements of the RFP upon award of a contract.

Question 7:

Who is the incumbent that has been providing WMATA its services?

Answer: Orion, Intellect, and Black Box are the three incumbents.

Question 8:

Evaluation Criteria for Technical Approach and Organization Factor 2 states that we are required to provide resumes for three key personnel and position descriptions, which demonstrate requisite education, experience, and/or special skills needed to perform the tasks listed within the sample Task Order of Work.

We did not see any key personnel requirements or position descriptions listed within the RFP. Can the Government please provide this information? Or are the key personnel requirements and position descriptions up to our discretion as long as proposed personnel have the requisite experience to perform the tasks listed within the Sample Task Order of Work?

Answer: Add the following paragraph to Evaluation Factor 2:

- Resumes for key personnel must demonstrate the following:
 1. Five years' experience with electronic safety and security systems such as CCTV, access control and intrusion detection;
 2. Five years' experience with systems containing at least 250 cameras or other electronic and safety and security end devices;
 3. Three years' experience with the installation and startup of audio visual equipment; and
 4. Three years' experience with networking equipment and low voltage structured cabling.

No.	RFP Section	Paragraph	Page Number	Question	Answer
9	Amendment 02	A	1	Item A. states, "the due date for proposals is extended to Monday,	See corrected Amendment 01 on the WMATA web page.

No.	RFP Section	Paragraph	Page Number	Question	Answer
				April 25, 2016 at 3:00PM local time." Can the government please confirm that is incorrect and the due date is Friday, May 13, 2016 as stated in Amendment 1?	
10	Amendment 02	B.	1	Can the government please provide an update as to when the revised Unit Price Schedule (UPS) will be posted to the web page?	As soon as possible.
11	Amendment 02	E.	1	Item E. states, "Attachment E is deleted from the RFP in its entirety." However, Item 10. Proposal Format Instructions, Factor 3, on page 13 of the RFP states, "the Authority will evaluate the offeror's proposed approach to accomplishing overall contract tasks as listed in the SOW." Can the government please provide how they will evaluate Factor 3 now that Attachment E Statement of Work has been deleted?	WMATA will evaluate the offeror's approach to the sample task orders.
12	Amendment 02 and RFP	Question 58b and RFP 17(c)(1)	19 and 14	There was not an answer provided to Questions 58b. Is the Pre-Award Evaluation Data form required with submission of this proposal Volume III or, as stated in this paragraph, "when so requested by the Contracting Officer"?	Pre-Award Evaluation Data is required in the response to the RFP.
13	Amendment 02 and RFP	Question 58c and RFP 25	19 and 24	There was not an answer provided to Question 58c. Since this procurement is subject to federal law, does the Freedom of Information Act also have bearing with respect to use and release of Contractor's marked proprietary data?	WMATA's program is called the Public Access to Records Policy (PARP). PARP is similar to FOIA and WMATA's PARP policy can be found on the WMATA web page.

No.	RFP Section	Paragraph	Page Number	Question	Answer
14	Amendment 02	N/A	N/A	Can the government please provide a conformed RFP in its entirety based on the Q&A provided in Amendment 02?	No.

Attachment C-1 - Revised Unit Price Schedule
RFP No. FQ16045 - Electronic Safety and Security (DIQ)
(All pricing to be used for price evaluation purposes only.)

Item No.	Labor Category	Description	Hourly Rate			Unit	Extended Price
			Base Contract 2 Years	Option Year 1	Option Year 2		
1	Project Manager	Contractor to specify specific labor categories					
2	Installation Supervisor	Contractor to specify additional labor categories as needed					
3	Installation Labor						
4	Start-Up Technician						
5	Other						
6							
Manufacture							
		Part Number	Description	QTY	Unit	Unit Price	
Typical Materials							
1	Axis	P3367-V	CAMERA - SMP IP - INDOOR ENCLOSURE (OR APPROVED EQUAL)	1	ea		
2	Axis	P3367-VE	CAMERA - SMP IP - OUTDOOR ENCLOSURE (OR APPROVED EQUAL)	1	ea		
3	Axis	M3007-PV	CAMERA - 360° INDOOR (OR APPROVED EQUAL)	1	ea		
4	Axis	M5014	CAMERA - MINI INDOOR PTZ (OR APPROVED EQUAL)	1	ea		
5	Axis	Q6000-E	CAMERA - PTZ/FIXED HYBRID WITH Q6045 PTZ WITH FOUR Q6045	1	ea		
6	Axis	Q1931-E	CAMERA - THERMAL - OUTDOOR (OR APPROVED EQUAL)	1	ea		
7	Axis	T91A61	Mounting Kit - Ceiling	1	ea		
8	Axis	T91A63	Mounting Kit - Wall	1	ea		
9	Axis	PP450	Mounting Kit - Parapet	1	ea		
10	Custom	WMATA-ENC-Dual IP Camera	Enclosure, Dual IP Camera, Pole Mount - See DWG ESS-168-7505	1	ea		
11	Custom	WMATA-ENC-Network-Single	Enclosure, Network - SINGLE SWITCH - See DWG ESS-F10-T504	1	ea		
12	Custom	WMATA-ENC-Network-Dual	Enclosure Network - DUAL SWITCH - See DWG ESS-F10-T505	1	ea		
13	Custom	WMATA-PID Mount	PID Camera Mount Assembly - See DWG ESS-F10-T510	1	ea		
14	NITEK	JPPWR16	SURGE PROTECTOR (OR APPROVED EQUAL)	1	ea		
15	HID	921 PTNN EK0034 Yellow	HID MultiClass SE CARD READER (OR APPROVED EQUAL)	1	ea		
16	HID	1P95GSKT	Card Reader Gasket for outdoor application	1	ea		
17	SENTROL	1076	DOOR CONTACT (OR APPROVED EQUAL)	1	ea		
18	SENTROL	2207A-L	OVERHEAD DOOR CONTACT (OR APPROVED EQUAL)	1	ea		
19	BOSCH	DS160	PIRREX (OR APPROVED EQUAL)	1	ea		
20	BOSCH	DS8360	PIRIMICROWAVE 360 MOTION DETECTOR (OR APPROVED EQUAL)	1	ea		
22	HONEYWELL	PW6K1ICE	DOOR CONTROLLER - Master (OR APPROVED EQUAL)	1	ea		
23	HONEYWELL	PW6K1RIE	DOOR CONTROLLER - Slave (OR APPROVED EQUAL)	1	ea		
24	HONEYWELL	NXP 1SPLUS6001DA4	PRO-WATCH Door Controller Software License (OR APPROVED EQUAL)	1	Lot of 32		
25	PEDESTAL CEO	42-9C	GOOSENECK PEDESTAL (OR APPROVED EQUAL)	1	ea		
26	PEDESTAL CEO	PED-BOX 14x8	PEDESTAL HOUSING UNIT (OR APPROVED EQUAL)	1	ea		
27	VALCOM	VIP-172L	INTERCOM NETWORK INTERFACE (OR APPROVED EQUAL)	1	ea		
28	VALCOM	VIP-172L-SS	INTERCOM RELAY (OR APPROVED EQUAL)	1	ea		
29	Conduit		RGS Conduit, 1 inch to include all fittings, elbows, couplings, junction boxes and similar incidental materials - First 50 feet	1	50 ft		
30	Conduit		RGS Conduit, 1 inch to include all fittings, elbows, couplings, junction boxes and similar incidental materials - Additional 50 feet	1	50 ft		
31	Cabling		CAT 6 Wiring - Low Smoke Zero Halogen	1	1000 ft		
32	Cabling		Power Wiring - Low Smoke Zero Halogen - AWG 12	1	1000 ft		
33	Cabling		Fiber Optic Cabling - 6 Strand, Single Mode	1	1000 ft		