


**WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY
600 Fifth Street, NW, Washington, DC 20001
AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. AMENDMENT / MODIFICATION NO. 02		2. EFFECTIVE DATE April 6, 2016	
3. ISSUED BY Office of Procurement and Materials 600 Fifth Street, NW, 3 rd Floor Washington, DC 20001		4. ADMINISTERED BY (If other than block 3) Charlene Spollen Contract Administrator	
5. CONTRACTOR NAME AND ADDRESS		6 FORM TYPE (CHECK ONLY ONE) <input checked="" type="checkbox"/> AMENDMENT OF SOLICITATION NO. FQ16045 DATED March 24, 2015 (see block 7) <input type="checkbox"/> MODIFICATION OF CONTRACT NO. _____ DATED _____ (See block 9)	
7 THIS BLOCK APPLIES ONLY TO AMENDMENTS OF SOLICITATIONS <input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in block 10. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended. Offerors must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods: (a) By signing and returning <u>1</u> copies of this amendment, or (b) by acknowledging receipt of this amendment on each copy of the offer submitted which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE ISSUING OFFICE PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If, by virtue of this amendment you desire to change an offer already submitted, such change may be made by request, provided such request makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.			
8. ACCOUNTING AND APPROPRIATION DATA (If required) N/A			
9. THIS BLOCK APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS (a) <input type="checkbox"/> Change Order is issued pursuant to _____. The Changes set forth in block 10 are made to the above numbered contract/order. (b) <input type="checkbox"/> The above numbered contract/order is modified to reflect the administrative changes (such as changes in paying office, appropriation data, etc.) set forth in block 10. (c) <input type="checkbox"/> This Supplemental Agreement is entered into pursuant to _____.			
10. DESCRIPTION OF AMENDMENT/MODIFICATION. This Amendment No. 02 to RFP No. FQ16045 answers questions submitted by contractors. See the following pages for contractor questions and WMATA's answers. Certain revised sections of the RFP will be posted at a later date, i.e., the Unit Price Schedule. All other terms and conditions of the initial RFP FQ16045 remain in full force and effect. END OF AMENDMENT No. 02 (Except as provided herein, all terms and conditions of the document referenced in block 6, remain in full force and effect through the contract period.)			
11. CONTRACTOR/OFFEROR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN <u>1</u> COPY(IES) TO ISSUING OFFICE.		11. <input type="checkbox"/> CONTRACTOR/OFFEROR IS NOT REQUIRED TO SIGN THIS DOCUMENT	
12. NAME OF CONTRACTOR/OFFICE BY _____ (Signature of person authorized to sign)		12. WASHINGTON METROPOLITAN AREA TRANSIT AUTHORITY BY  (Signature of person authorized to sign)	
13. NAME AND TITLE OF SIGNER (Type or print)	14. DATE SIGNED	15. NAME OF CONTRACTING OFFICER (Type or print) Allison R. Robertson	17. DATE SIGNED April 6, 2016

**RFP No. FQ16045
Electronic Safety and Security
Amendment No. 02**

- A. The due date for proposals is extended to Monday, April 25, 2016 at 3:00 PM local time.
- B. Attachment C -- Unit Price Schedule (UPS) is deleted in its entirety. A revised UPS will be posted on the web page at a later date.
- C. All three sample Task Orders (Attachments D-1, D-2, and D-3) are samples only. They are examples of possible future task orders.
- D. Nothing in the sample task orders requires pricing. The revised UPS will be the only pricing for submission with proposals and will be used for evaluation purposes only.
- E. Attachment E is deleted from the RFP in its entirety.
- F. DBE goals will be determined at the individual task order level.
- G. Demonstration and training, if required, will be determined at the individual task order level.

Question 1:

Are we permitted to migrate the pricing sheets to excel (Attachment C, and subsequent Sample Task Order Bills of Materials)?

- a. If so, are we also permitted to change the provided price proposal structure to ensure clarity relative to materials provisions (i.e. add additional rows and columns to account for manufacturer names, relative part numbers, etc.?)

Answer: The revised UPS will be available in Excel format.

Question 2:

Are we permitted to submit Volume I in excel format?

Answer: The revised UPS will be available in Excel format.

Question 3:

Please confirm that IMC is permitted within building interiors where indicated on the Sample Task Order drawings sets.

Answer: IMC is allowed where shown on the drawings.

Question 4:

Are Wage Determinant Rates required of any labor related activities?

Answer: No.

Question 5:

Will Tax values be considered when evaluating price proposals?

Answer: This question is not clear. WMATA is tax exempt.

Question 6:

We note that Valcom is the listed as the intercommunication system manufacturer. WMATA historically uses Commend USA products. The question being to confirm that Valcom is the preferred manufacturer for this program?

Answer: WMATA's new design standard is to use an end device that can integrate with our AVAYA VOIP phones system. We use Commend for call for aid on platform but use Valcom for access control intercoms where we integrate with AVAYA phone system.

Question 7:

Attachment C Price Schedule contains columns titled "Materials Extended" followed by "Sub-Total", and "Labor Extended" and "Sub-Total". What is the difference between these two to the Authority?

Answer: See revised Unit Price Schedule.

Question 8:

Attachment C Price Schedule contains columns titled "SR. No."

- a. What does this acronym stand for?
- b. What is the significance of items in Attachment C that are assigned "SR No." vs those that are not?

Answer: See revised Unit Price Schedule.

Question 9:

Attachment C Price Schedule, column labeled "Labor Rate";

- a. What is the authority's intent for contractor's, are we to propose a blended rate per item, or use a specific labor category's rate?
- b. Are contractors to include indirect labor in this rate column, i.e. Project Management, CAD, Safety Superintendent, etc.?

Answer: See revised Unit Price Schedule.

Question 10:

Attachment C Price Schedule, Item labeled "Grounding";

- a. Are we to use the grounding notes found D2 Task Order Drawing ESS-T68-T203 as the basis for pricing this LOT grounding line item?

- b. Or, should this line item be left blank? (The intent being for participating contractors to provide a price for this lot item in subsequent task orders.)

Answer: See revised Unit Price Schedule.

Question 11:

What is the intent of the provided quantities that appear in Attachment C Price Schedule?

- a. Should responding contractors keep these quantities when submitting their response, or should quantities be changed to those found in the sample task orders?

Answer: See revised Unit Price Schedule.

Question 12:

The Line Item "RGS Conduit, 1 Inch to include all fittings, elbows, couplings, junction boxes and similar incidental materials - First 50 feet" appears twice in Attachment C; what is the intended difference between the two?

Answer: See revised Unit Price Schedule.

Question 13:

Relative to RFP Chapter VII_Insurance Requirements;

We note that Low-Smoke Zero Halogen cabling is not indicated as required of Task Order D3_Suitland Metro Station. Please confirm.

Answer: It is not clear what Low Smoke Zero Halogen has to do with insurance. However, LSZH wiring is required or all underground locations.

Question 14:

Should all responding contractors quote each Task Order assuming the Access conditions found in Task Order Scope of Work Sections 10?

Answer: Sample Task D-2 is for a Bus Garage and has nothing to do with Track Access. The work hours for task orders will be specific to each task order.

Question 15:

Can the proposal due date be extended four days?

Answer: Amendment No. 01 to this RFP extended the proposal due date.

Question 16:

Relative to RFP Chapter VII_Insurance Requirements;

a. General Insurance Requirements

1. Are we permitted to utilize a Self-Insured Retention value of \$10,000.00?

Answer: Yes.

- b. MCW currently uses form CG0001 10/01, is this an acceptable format or will MCW need to migrate their coverage to a 12/04 version?

Answer: Yes.

- c. Our current policy has a Designated Project General Aggregate up to a maximum of \$10M, but it does not specifically state "any and all construction projects"; however it does state, "Each Project" for which we have agreed, in a written contract which is in effect during this policy period, to provide a separate General Aggregate Limit, provided that the contract is signed and executed by MCW before the "bodily injury" or "property damage" occurs." Is this acceptable to the Authority?

Answer: Yes.

- d. Network Security & Privacy Liability - MCW currently carries a \$4M limit, included in our E&O coverage, not as a "separate limit", the question being whether the Authority is looking for separate limits for this coverage type.

Answer: The blended coverage is acceptable.

Question 17:

Both Master Schedule and D1 Task Order BOM specify the Cisco C40 CODEC (and associated software and hardware components) which has been discontinued and is no longer available. The replacement model is the Cisco SX80. Please confirm that the SX80 is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 18:

The Master Schedule lists a quantity of two Cisco C40 CODECs (replaced by SX80 CODEC) but there is a total of three CODECs required for Rooms 202, 203, and 236 per D1 Task Order BOM. Please confirm the correct quantity of CODECs for the Master Schedule is three.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 19:

Both Master Schedule and D1 Task Order BOM specify the Christie Digital LHD700 projector which has been discontinued and is no longer available. The replacement model is the Christie Digital LWU701i-D. Please confirm that the LWU701i-D is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 20:

Both Master Schedule and D1 Task Order BOM specify the Crestron DM-TX3-C-B or DM-RX3-C-B which are both invalid parts. While there was an HD-TX3-C-B and HD-RX3-C-B, they are no longer sold individually and only sold as a set (HD-EXT3-C). However, this part is specified to carry video and control for the Cisco camera. We recommend utilizing a Sound Control Technologies RC5-P60-KS camera extension system for the new Cisco Precision 60 cameras which will carry video, control, and power. The extension system also includes a wall mount shelf for the camera and rack shelf for the receiving unit in the equipment rack. Please confirm that Sound Control Technologies RC5-P60-KS is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 21:

The D1 Task Order BOM specifies an Epson V11H473020 (PowerLite 1960) projector which is a 1024x768 (4:3 aspect ratio) projector. The specified document camera cart features a 720p (16:9 aspect ratio) output and nearly all current generation laptops/PCs utilize a widescreen aspect ratio. It is recommended to switch to an alternate Epson model that features a widescreen native resolution to better accommodate the high resolution output from current devices without negatively impacting image quality. We recommend utilizing the V11H619020 (PowerLite 1985WU) model which is a WUXGA (16:10 aspect ratio) projector that has a brightness of 4800 Lumens. Please confirm that the PowerLite 1985WU model is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 22:

The D1 Task Order BOM specifies an Epson EXTHD100MHBT which is actually made by KanexPro. We recommend utilizing the Crestron HD-EXT3-C extender pair to maintain consistency of equipment and performance between rooms. Please advise the HD-EXT3-C is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 23:

The D1 Task Order BOM specifies the Extron 60-773-03 (projector mount bracket) and 60-772-03 (drop tile ceiling mount kit) projector mounting components for the Christie Digital projectors. The projector mount bracket has been discontinued and the drop tile ceiling mount kit has limited availability. We recommend utilizing the comparable Chief Manufacturing RPAUW (projector mount bracket) and CMS440 (drop tile ceiling mount kit). Chief Manufacturing is a reputable mounting solution provider. Please confirm that the RPAUW and CMS440 are approved replacements.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 24:

The D1 Task Order BOM specifies the Mustang MV-PROJSP-FLAT (projector mount) for the Epson projectors. We recommend utilizing the Chief Manufacturing RPMAUW (projector mount bracket) and CMS440 (drop tile ceiling mount kit). Chief Manufacturing is a reputable mounting solution provider. Please confirm that the RPMAUW and CMS440 are approved replacements.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 25:

The D1 Task Order BOM and system diagram for Room 236 specifies a Crestron DMPS-300-C-AEC which has been discontinued and replaced with a newer model. However, the AEC functionality of the DMPS is not required since the microphones will be connected directly to the video conferencing CODEC which features its own AEC functionality. We recommend utilizing the Crestron DMPS3-300-C. Please confirm the DMPS3-300-C is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 26:

The D1 Task Order BOM specifies the Sharp LC70LE650U monitor which has been discontinued and is no longer available. The replacement model is the LC70LE661U which is a commercial grade version of the LC70LE650U. Please confirm that the LC70LE661U is an approved replacement.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 27:

The Master Schedule lists a quantity of two WMATA provided Sharp LC70LE650U monitors but there is a total of three Sharp LC70LE650U monitors required for Rooms 202, 203, and 236 per D1 Task Order BOM. The three monitors listed in the D1 Task Order BOM aren't indicated as WMATA provided. Please confirm the quantity of Sharp LC70LE650U monitors (replaced by LC70LE661U) that we need to provide.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 28:

For the Training Rooms, the Master Schedule specifies a “quick disconnect” for each room. Does connecting/disconnecting two or three cables from a wall plate qualify as a quick disconnect? The intent would be to have two HDMI cables in a “cable whip” that can be connected to an HDMI input wall plate that will connect to the projector and monitor respectively. In addition, the cart will need to be connected to power which should be separate from the HDMI cable whip.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 29:

Please confirm that CATV service at the monitor locations in the Training Rooms and at the equipment rack locations in the Conference Rooms will be provided by the CATV service provider. Additionally, the CATV box will need to be provided for connection by the technicians at the time the rack is installed. The CATV service provider shall also provide a wall plate with coaxial F-type connector at each CATV location.

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 30:

Relative to FQ16045 – Attachment C_Price Schedule

- a. Line #4 - Category 6 Cable – Yellow – 100’ Roll
 - i. Does this cable need to be plenum-rated?
 - ii. Does this cable need to be low-smoke, zero-halogen?
- b. Line #5 – THHN Stranded Black 10 AWG
 - i. Does this wire need to be low-smoke, zero-halogen?
- c. Line #6 – THHN Stranded White 10 AWG
 - i. Does this wire need to be low-smoke, zero-halogen?
- d. Line #7 – THHN Stranded Green 10 AWG
 - i. Does this wire need to be low-smoke, zero-halogen?
- e. Line #8 – Cable, Fiber Optic, Multimode, 6 Strands, Standard
 - i. Is there a specification or basis of design for this cable?
 - ii. Does this wire need to be low-smoke, zero-halogen?
- f. Line #9 – Patch Cables, Cat6 – 1ft through 20ft
 - i. Does WMATA wish for different lengths of patch cables to be quoted?
 - ii. Or a single price for any patch cable between 1ft and 20ft?
- g. Line #24 – Axis In-Ceiling Kit
 - i. Is there a specific part number that WMATA wishes the Contractor to quote?
- h. Line #31 – 19” Equipment Rack
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?

1. Specific height?
 2. Amount of rack units?
 3. Amount of usable rack depth?
- i. Line #35 – Mid Span Power Injector
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 1. Specific power output?
 - j. Line #36 – Workstation in Superintendent’s Office
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 1. Specific performance requirements?
 - a. Processor speed?
 - b. RAM?
 - c. Video Card?
 - d. Hard Drive storage space?
 - k. Line #37 – Monitor in Superintendent’s Office
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 1. Specific size?
 2. LED vs. LCD?
 3. Audio/Video input types and quantities?
 - l. Line #38 – Workstation in Guard Booth
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 1. Specific performance requirements?
 - a. Processor speed?
 - b. RAM?
 - c. Video Card?
 - d. Hard Drive storage space?
 - m. Line #39 – Monitor in Guard Booth
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 1. Specific size?
 2. LED vs. LCD?
 3. Audio/Video input types and quantities?
 - n. Line #40 – Grounding
 - i. Is this to be a fixed price regardless of the application and electrical bonding requirements?
 1. Or is this a variable price based on the specific application requirements on a Task Order-by-Task Order basis?
 - o. Line #41 – Testing
 - i. Is this to be a fixed price regardless of the application and testing requirements?
 1. Or is this a variable price based on the specific application requirements on a Task Order-by-Task Order basis?
 - p. Line #42 – Metro Brown Color Addition
 - i. Is this to apply to the addition of Metro Brown Color to a specific piece of equipment such as a camera?

1. What equipment will potentially need to be re-finished with Metro Brown?
 - a. Should the Contractor provide pricing for Metro Brown Color Addition for a variety of pieces of equipment?
 - i. If so, which pieces of equipment?
- q. SR #23 – Wiring 18AWG, Twisted Shielded Pair, Standard, 3-Pair
 - i. Is there a specification or basis of design for this cable?
 - ii. Does this wire need to be low-smoke, zero-halogen?
- a. “Card reader at the gate:
 - i. Is this to have the same specification as the Oberthur readers?
 - ii. If so, what is the intent having a separate line item for this particular readers?
- b. “Auto close loops”
 - i. Is it correct to assume that this is referring to gate safety loops that will interface with the gate controls?
 - ii. Is there a specification or basis of design for this?

Answer: See revised UPS.

Question 31:

Sample Task Order – Administrative Building ESS Upgrades

- a. Section 3.1.1: “provide...all camera system licenses”
 - i. Will the Contractor be required to provide camera licenses for cameras being installed on the WMATA system?
 1. Which VMS platform will the camera licenses be?
 2. Is there a specification or basis of design for these licenses?
- b. Section 3.1.15: “Shall use flexible conduit boot-leg to connect camera housings in suspended ceilings to the Rigid or IMC conduit system.”
 - i. For interior applications, what is the WMATA conduit standard?
 1. IMC, Rigid, or EMT?
 - ii. For exterior above-grade applications, what is the WMATA conduit standard?
 1. Rigid or Stainless Steel?
 - a. If Stainless, what grade?
 - iii. For exterior below-grade applications, what is the WMATA conduit standard?
 1. Rigid, PVC or Stainless Steel?
 - a. If Stainless, what grade?
- c. Section 3.2.5: “Door strikes and power supplies are provided by the general contractor”
 - i. Is this to mean that all Access Control System power supplies are to be furnished and installed by others?
 1. Or is this referring only to power supplies local to doors requiring an “in-rush” of power at the door?
- d. Section 3.3.2: “The Contractor shall provide and install one (1) workstation and two (2) monitors in the Reception room 118 and Superintendents Office room 132”
 - i. Is there a specification or basis of design for this equipment?
 1. Are there specific performance requirements for the workstation?
 - a. Processor speed?
 - b. RAM?

- c. Video Card?
- d. Hard Drive storage space?
- 2. Are there specific performance requirements for these monitors?
 - a. Specific size?
 - b. LED vs. LCD?
 - c. Audio/Video input types and quantities?
- e. Section 3.4.2: "The Contractor shall provide and install one 19" four post rack in COMM RM 123; 207VAC is provided by the general contractor."
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 - 1. Specific height?
 - 2. Amount of rack units?
 - 3. Amount of usable rack depth?
- f. Section 3.7: Cat6 Copper Cables
 - i. Is there a specific manufacturer and part number that WMATA wishes the Contractor to quote?
 - ii. Does this cable need to be plenum-rated?
 - iii. Does this cable need to be low-smoke, zero-halogen?
- g. Section 3.7.11: "Copper cables from outdoor cameras routed directly to the COMM RM shall terminate a surge protector"
 - i. Is there a specific manufacturer and part number for the surge suppressors that WMATA wishes the Contractor to quote?
- h. Section 3.7.13: "Contractor shall provide and install surge protectors for all existing exterior cameras entering the communication room"
 - i. How many existing exterior cameras are there that enter the communication room?
 - ii. Is the surge protection occurring in the Communication Room, or "upstream" of the camera location?
 - iii. Is there a specific manufacturer and part number for the surge suppressors that WMATA wishes the Contractor to quote (we ask because there does appear to be a surge protector on Attachment C that will perform this function)?

Answer: It is a sample task order only, nothing is to be interpreted as required in a future task order.

Question 32:

Attachment E – Statement of Work

- a. Section 1.5.M: Demonstration and Training
 - i. Please advise what type and how much training will be required at each Task Order Site.

Answer: Attachment E is deleted in its entirety. Demonstration and training, if required, will be determined at the individual task order level.

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
33	Solicitation Instructions	9. Submission of Proposals	9	Can the Government please confirm that email is the preferred method of submission for this bid?	Please email all proposal volumes.
34	Solicitation Instructions	10. Proposal Format Instructions/Requirements	9	Item (a) Proposal Format states that we should provide (1) original and any required copies of Volume I, Volume II and Volume II. Can the Government please confirm how many copies are required for each Volume or if just the original will suffice?	One emailed copy of each Volume is sufficient.
35	Solicitation Instructions	10. Proposal Format Instructions/Requirements	9	We did not see any page limitations set forth for Volume I, Volume II or Volume III. Are we to assume page limitations for each Volume are up to our discretion?	There are no page limitations stated in the RFP.
36	Solicitation Instructions	10. Proposal Format Instructions/Requirements	9	We did not see any specific Font Style/Size that is required. Are we to assume font style and font size are up to our discretion?	There is no required font nor typeface sizes in the RFP.
37	Solicitation Instructions	10. Proposal Format Instructions/Requirements	13	Evaluation Criteria for	WMATA "will evaluate the

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				<p>Technical Approach and Organization Factor 1 states "Factor 1: The Authority will evaluate the offeror's management practices and policies, and the specific methodology that will ensure all requirements of the Task Order are met."</p> <p>Can the Government please confirm if they will only be evaluating Task Order requirements for Factor 1 or if they will be evaluating overall IDIQ contract requirements as well?</p>	<p>offeror's management practices and policies, and the specific methodology that will ensure all requirements of the Task Order are met."</p>
38	Solicitation Instructions	10. Proposal Format Instructions/Requirements	13	<p>Evaluation Criteria for Technical Approach and Organization Factor 2 states that we are required to provide resumes for three key personnel and position descriptions, which demonstrate requisite education, experience, and/or special skills needed to perform the tasks listed</p>	<p>Factor 2 asks for resumes of three key personnel.</p>

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				<p>within the sample Task Order of Work.</p> <p>Given that there are three sample task orders associated with this IDIQ, can the Government please confirm if they expect 3 key personnel resumes per Sample Task Order or 3 key personnel resumes in total?</p>	
39	Solicitation Instructions	10. Proposal Format Instructions/Requirements	13	<p>Evaluation Criteria for Technical Approach and Organization Factor 2 states that we are required to provide resumes for three key personnel and position descriptions, which demonstrate requisite education, experience, and/or special skills needed to perform the tasks listed within the sample Task Order of Work.</p> <p>We did not see any key personnel requirements or position descriptions listed within the RFP. Can the</p>	<p>The resumes of key personnel must show the "...requisite education, experience, and/or special skills needed to perform the tasks listed within the sample Task Order of Work."</p>

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				Government please provide this information? Or are the key personnel requirements and position descriptions up to our discretion as long as proposed personnel have the requisite experience to perform the tasks listed within the Sample Task Order of Work?	
40	Solicitation Instructions	10. Proposal Format Instructions/Requirements	13	<p>Evaluation Criteria for Technical Approach and Organization Factor 3 states, "The Authority will evaluate the offeror's proposed approach to accomplishing the overall contract tasks listed in the SOW."</p> <p>Can the Government please confirm that we will be evaluated on our approach to accomplishing the overall contract tasks listed in Attachment E Statement of Work and not the sample Task Orders SOWs?</p>	Factor 3 includes more than this question addresses. Please see Factor 3 on Page 13 of the RFP.
41	Solicitation Instructions	10. Proposal Format Instructions/Requirements	13	Evaluation Criteria for Technical	One Technical Plan is recommended.

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				<p>Approach and Organization Factor 4 states, "The Authority will evaluate the offeror's proposed Technical Plan to the sample Task Order provided as part of the solicitation."</p> <p>Given that there are three sample Task Orders provided as part of the solicitation, can the Government please confirm that we are required to provide an individual Technical Plan for each of the included sample Task Orders?</p>	
42	Appendix B-DBE	3. Contract Goal	90	What DBE percentage goal should we include for each Task Order effort?	The contractor does not determine the DBE goal.
43	Attachment C	Unit Price Sheet	136	Can the Government please provide an excel version of the Unit Price sheet (Attachment C)?	Yes. See revised UPS.
44	Attachment C	Unit Price Sheet	136	There are numerous items with QTY's missing. Can the Government please advise what the correct QTY's are?	See revised UPS.
45	Attachment C	Unit Price Sheet	136	Attachment C shows a column	See revised UPS.

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				for labor hours for each line item. Is the intent to show labor hours broken down per piece of equipment for installation?	
46	Attachment C	Unit Price Sheet	136	<p>These tables are titled "Admin Building" – Springfield, VA which maps to Attachment D-1 Sample Task Order #1.</p> <p>Given that there are three Sample Task Orders, can the government please confirm if we are to price all three separately? And if so, can the government please provide pricing tables that map to Attachment D-2 and Attachment D-3 in an excel file?</p>	See revised UPS.
47	Attachment C	Unit Price Sheet	136	<p>The labor category tables all reference Option 1 (Year 3).</p> <p>Are we correct in assuming that these should be years 3-5 and labeled accordingly?</p>	See revised UPS.
48	Attachment C	Unit Price Sheet	136	Can the Government please provide the definition of SR No?	See revised UPS.

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
49	Attachment C	Unit Price Sheet	136	SR No. 15 was left blank. Was this intentional?	See revised UPS.
50	Attachment C and RFP Section 27.b	Unit Price Sheet	136	The RFP requires us to indicate if our offering includes an "equal" product. Can the contractor add a column to show this information?	Yes.
51	Attachment E-SOW	1.3 Days/ Hours of Work	2	<p>The RFP states that "the standard work week for the Contract shall be 5 consecutive 8-hour days Monday-Friday or as specified in each task order.</p> <p>Given our understanding of the RFP, we assume that some shift work will be required. Should we provide labor rates for the standard week as well as for shift work?</p>	Required work hours will be determined at the Task Order level.
52	Attachment E-SOW	N. Salvaging of Materials and Equipment	4	Will each site be providing a storage area for this equipment or will this equipment be stored by the contractor at a site provided by us?	The equipment will be stored by the contractor.
53	Attachment E-SOW	I. Safety	4	The RFP references "Section 01115, Safety & Security	Attachment E is deleted from the RFP.

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				Certification." This section is missing. Can the Government please provide this information?	
54	Attachment E-SOW	J. Quality	4	The RFP references "Section 01470, Quality & Management System." This section is missing. Can the Government please provide this information?	Attachment E is deleted from the RFP.
55	Attachment E-SOW	K. Testing & Systems Integration Testing	4	The RFP references "Section 01113, Systems Integration Testing." This section is missing. Can the Government please provide this information?	Attachment E is deleted from the RFP.
56	Attachment E-SOW	L. As-Builts Documents	4	The RFP references "Section 01775, Closeout." This section is missing. Can the Government please provide this information?	Attachment E is deleted from the RFP.
57	Attachment E-SOW	M. Demonstration	4	The RFP references "Section 01820, Demonstration & Training." This section is missing. Can the Government please provide this information?	Attachment E is deleted from the RFP.
58	N/A	N/A	N/A	Given the amount of questions regarding the solicitation and how the	Amendment No. 01 to this RFP extended the proposal due date.

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				resulting answers will impact our proposal response, we would like to request that the proposal submission due date be extended by 30 days from when the government provides offerors the answers and any subsequent amendments to the RFP.	
58a	Attachment C	Unit Price Sheet	136	The pricing table includes 8 positions for Labor Categories. Are we limited to providing 8 labor categories or are we able to provide additional categories as needed?	See revised UPS.
58b	RFP	17(c)(1)	14	Is the Pre-Award Evaluation Data form required with submission of this proposal Volume III or, as stated in this paragraph, "when so requested by the Contracting Officer"?	
58c	RFP	25	24	Since this procurement is subject to federal law, does the Freedom of Information Act also have	

Question No.	RFP Section	Paragraph	Page Number	Question	WMATA Answer
				bearing with respect to use and release of Contractor's marked proprietary data?	

Question 59:

Please confirm the following insurance requirements:

Commercial General Liability

Required Minimum Limits of Coverage:

\$5,000,000	Each Occurrence Limit
\$10,000,000	General Aggregate Limit
\$5,000,000	Products and Completed Operations Limit

Railroad Protective Liability Insurance (RRP)

For work within 50 feet of WMATA railroad tracks or work within WMATA rail stations, Railroad Protective Liability Insurance is required with the following minimum limits of coverage:

\$5,000,000	Each Occurrence Limit
\$10,000,000	Aggregate Limit

Business Auto Liability

Required Minimum Limits of Coverage:

\$2,000,000	Combined Single Limit
-------------	-----------------------

Answer: Assuming the above information is copied from RFP No. FQ16045, it is confirmed.

Question 60:

Are bidders to price each individual sample Task Order or the provided Price Schedule in the RFP?

Answer: See revised UPS

Question 61:

Does WMATA want the bidder to populate the Job Titles based on past experience or does WMATA intend to provide that information?

Answer: Submit your best proposal.

Question 62:

Please confirm the DBE participation requirement amount.

- 1) Are bidders required to include Appendix B, DBE documentation with this RFP submission?

Answer: DBE goals will be determined for each separate task order. DBE forms will be required when DBE goals are determined.

Question 63:

Should bidders complete/provide As Builts associated with page ESS-T54-T517 in the RFP submission?

Answer: No.

Question 64:

The quantities listed in the Price Schedule do not appear to be associated with any or all of the sample Task Orders—please explain WMATA’s intent in providing some items with quantities and other items without quantities.

Answer: See revised UPS.

Question 65:

Would WMATA consider a pre-proposal conference to clarify these RFP issues?

Answer: Amendment Nos. 01 and 02 to the RFP clarify the issues raised.

Question 66:

With regards to the ... DBE language, is the Authority requiring the Non-DBE Prime Contractor to get participation of a DBE sub-contractor on each task order or is it okay to satisfy DBE goals by performing work by DBE sub-contractor in certain areas of work/task orders and not in others?

Answer: DBE goals will be determined for each separate task order. DBE forms will be required when DBE goals are determined.

Question 67:

Attachment C has three pages indicating the same Option 1 (Year 3). Please clarify if labor categories need to be provided for each year separately.

Answer: See revised UPS.

Question 68:

Regarding Attachment C, please provide quantities for all line items with no quantities indicated. Please provide a list with the exact quantities required for each device identified.

Answer: See revised UPS.

Question 69:

Please identify which labor categories from the Walsh Healy Act contractors should use to map to their respective labor categories for pricing.

Answer: Propose your best response.

Question 70:

Will WMATA treat all equipment pricing associated with Sample Task Orders as fixed pricing for all task orders awarded under this contract?

Answer: Sample task orders will not be priced. After award of this contract, all task orders will be firm fixed price.