## Appendix A

**Vehicles and Maintenance Technical Specifications** 

# FY-15 GRANT VEHICLE PURCHASE

ITEM 1

# MTPD VEHICLE and MAITENANCE SPECIFICATION

## 3500 HD CREW CAB PICKUP w/ K9 CAGE

PICTURES ARE SIMILAR TO VEHICLE BEING SPECIFIED (THEY DO NOT DEPICT ACTUAL VEHICLE)



November 30, 2014

SERVICE VEHICLE PURCHASE

This vehicle specification describes Silverado 3500HD 4WD Crew Cab - Pickup Truck - CK35943 type Crew Cab 167.7" Work Truck vehicle. Under normal conditions this vehicle will be used to transport patrol officers and K9's to various work locations in the Washington Metropolitan Area. 2015 or later model year Chevrolet Silverado 3500HD Commercial or WMATA approved equal. Decals installed by WMATA.

ALL SPECIFICATIONS ARE THE MINIMAL ACCEPTABLE UNLESS STATED OTHERWISE

Whenever a Brand Name item/product is mentioned in the Vehicles and Maintenance Technical Specifications
WMATA accept Brand Name or Equal Item/product.

#### \*\*\*\*\* ATTENTION CONTRACTORS \*\*\*\*\*

CONTRACTORS SUBMITTING A BID PROPOSAL MUST CHECK THE BOX IN COLUMN "B" IF THEIR PROPOSED SPEC MEETS OR EXCEEDS WMATA SPEC & STATE IN COLUMN "C" THE EXCEPTION TO THE WMATA SPEC IF THERE IS

\*\*\*\*\* THIS COMPLETED DOCUMENT MUST BE SUBMITTED WITH CONTRACTOR BID PROPOSAL \*\*\*\*\*

***** THIS COMPLETED DOCUMENT MUST BE SUBMITTED WITH CONTRA	ACTURI	DID PRUPUSAL
Α	В	С
DESCRIPTION	MEETS SPEC	FXCEPHONS
SECTION 1: VEHICLE SPECIFICATIONS		
.1 CK35943 2015 or later model year Chevrolet Silverado 3500HD Crew Cab		
.2 SRW CHASSIS, SINGLE REAR WHEEL	! ! ! !	
.3 LE63 PICKUP BOX, WIDESIDE (STD)	I   I	
.4 Z85 SUSPENSION PACKAGE, STANDARD includes 51mm twin tube shock		
absorbers and 33mm front stabilizer bar (STD)	į	
.5 INE1 EMISSIONS, ARIZONA, CONNECTICUT, MAINE, MARYLAND, MASSACHUSETTS,		
NEW JERSEY, NEW YORK, OREGON, PENNSYLVANIA, RHODE ISLAND, VERMONT	;	
AND WASHINGTON STATE REQUIREMENTS	i   I	
.6 LENGINE, DURAMAX 6.6L TURBO DIESEL V8, B20-DIESEL COMPATIBLE (397 hp [296.0	 	
kW] @ 3000 rpm, 765 lb-ft of torque [1032.8 N-m] @ 1600 rpm) (Requires (MW7)	. i	
Allison 1000 6-speed automatic transmission, (GT4) 3.73 rear axle ratio and (K05)		
lengine block heater. Includes (K40) exhaust brake.)		
.7 IMW7 TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY		
CONTROLLED with overdrive, electronic engine grade braking and tow/haul mode	! ! ! !	I
(Requires (LML) Duramax 6.6L Turbo Diesel V8 engine.)	<u> </u>	
.8 GT4 REAR AXLE, 3.73 RATIO (Standard with (LML) Duramax 6.6L Turbo Diesel V8	- - -	•
.9 11WT WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment		
.10 IC7V GVWR, 11,600 LBS. (5262 KG) WITH SINGLE REAR WHEELS (Requires K35943 with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	! ! ! !	
.11 PYT WHEELS, 18" (45.7 CM) PAINTED STEEL includes 18" x 8" (45.7 cm x 20.3 cm)	· ·	
steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare		
itire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain,	;	
blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.) (STD)	! !	
.12 QWF TIRES, LT265/70R18E ALL-SEASON, BLACKWALL (Requires single rear wheels.)	i	
.13 N79 WHEEL, 18" X 8" (45.7 CM X 20.3 CM) FULL-SIZE, STEEL SPARE Spare not		
included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires		
Isingle rear wheels. Included with (E63) pickup box. Available to order when (ZW9)	. !	
pick-up box delete is ordered.)		-   
.14 ZY1 SOLID PAINT		!
.15 igaz summit white	<del>                                     </del>	<del> </del> 
	. i	
.16 AE7 SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT		
PASSENGER RECLINE with outboard head restraints and center fold-down armrest	<u>:</u> ;	
with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver	·	
!lumbar. (STD) (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)	! !	
.17 iH2R DARK ASH, CLOTH SEAT TRIM with Jet Black interior accents	. i	! !
	<u>.                                    </u>	

_		
.1	IO4 CHEVROLET MYLINK AUDIO SYSTEM, 4.2" DIAGONAL COLOR TOUCH SCREEN	i
	WITH AM/FM STEREO USB ports, auxiliary jack, SD card slot, Bluetooth streaming	;
	audio for music and most phones, hands-free smartphone integration, Pandora	!
	Internet radio and voice-activated technology for radio and phone	<u>i</u>
.1	9 PCM WT CONVENIENCE PACKAGE (Includes (AKO) tinted windows, (KI4) 110V	i
	outlet, (AQQ) Remote Keyless Entry, (UVC) Rear Vision Camera and (DPN) outside	;
	heated power-adjustable camper mirrors. If (ZW9) pickup box delete or (9J4) rear	<u> </u>
	bumper delete is ordered (UVC) Rear Vision Camera will be deleted. Not available	i
	Ifor Fleet or Government order types.)	;
.2	VYU SNOW PLOW PREP PACKAGE includes power feed for backup and roof	:
	Temergency light, (KW5) 220-amp alternator with gas or diesel engine, forward lamp	i
	iwiring harness, (TRW) provision for cab roof mounted lamp/beacon, (NZZ)	;
	underbody shields and Heavy-Duty frontsprings (Only available on 4WD models.)	!
.2	K05 ENGINE BLOCK HEATER (Included with (LML) Duramax 6.6L Turbo Diesel V8	i
.2	NQF TRANSFER CASE, ELECTRONIC SHIFT WITH ROTARY DIAL CONTROLS (Requires	1
	4WD models.)	<u>!</u>
.2	BIBATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS/70 AMPHR maintenance-	i
1	free with rundown protection and retained accessory power (Included and only	;
1	available with (LML) Duramax 6.6L Turbo Diesel V8 engine.)	<u> </u>
	— POWER SUPPLY, 100-AMP, AUXILIARY BATTERY, REAR ELECTRICAL CENTER	<u>i</u>
	i — POWER SUPPLY, 50-AMP, POWER SUPPLY, AUXILIARY BATTERY passenger	;
	compartment wiring harness	:
.2	4 KW5 ALTERNATOR, 220 AMPS (Included with (VYU) Snow Plow Prep Package when	!
	ordered with gas or diesel engines. Not available with (K4B) 730 cold-cranking	i
	amps, auxiliary battery.)	;
.2	JL1 TRAILER BRAKE CONTROLLER, INTEGRATED (If (ZW9) pickup box delete or (9J4)	•
	rear bumper delete is ordered (JL1) trailer brake controller is deleted and available	<u> </u>
	Ito order as a free flow option.)	i
.2	6 NZZ SKID PLATE PACKAGE, FRAME-MOUNTED SHIELDS includes front underbody	<u>;</u>
	shield starting behind front bumper and running to first crossmember, protecting	!
	front underbody, oil pan, differential case and transfer case (Included with (VYU)	<u>į</u>
	iSnow Plow Prep Package.)	;
.2	K40 EXHAUST BRAKE (Included and only available with (LML) Duramax 6.6L Turbo	-
	Diesel V8 engine.)	
.2	RVQ LPO, BLACK TUBULAR ASSIST STEP, 6" RECTANGULAR (dealer installed) (Not	:
	iavailable with (VXJ) 4" round chrome tubular assist steps, LPO, (RVS) 4" round Black	i
	tubular assist step, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO)	;
.2	UF2 LED LIGHTING, CARGO BOX with switch on center switch bank	
.3	I TRW PROVISION FOR CAB ROOF-MOUNTED LAMP/BEACON provides an instrument	
	panel-mounted switch and electrical wiring tucked beneath the headliner for a	
1	body upfitter to connect a body-mounted warning or emergency lamp	į į
3	1 DPN MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL CAMPER UPPER	1
٦	IGLASS, MANUAL-FOLDING AND EXTENDING, BLACK. Includes integrated turn signal	
	indicators consisting of 51 square inch flat mirror surface positioned over a 24.5	
1	square inch convex mirror surface with a common head and lower convex spotter	i i
1	Iglass (convex glass is not heated and not power adjustable) and addition of	<u> </u>
1	Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a	<u> </u>
1	trailer) and amber auxiliary clearance lamp (Included and only available with (PCR)	i
	WT Fleet Convenience Package and includes (DD8) autodimming inside rearview	<u> </u>
	WELLECT CONVENIENCE LACKAGE AND INCIDATES (DDO) AUTOMINIMING HISIAE LEALVIEW	

7X6-LED SPOTLIGHT - Left hand, seperatley fused  SECTION 2: MAINTENANCE PLAN	
8F2 ORNAMENTATION, DELETE Deletes decals and nameplates on truck exterior	
VQ2 FLEET PROCESSING OPTION	1 1
hand and left hand front side door glass	
	1 1
8S3 BACKUP ALARM, 97 DECIBELS (Not available with SEO (SFW) backup alarm	1 I
6E2 KEY COMMON, COMPLETE VEHICLE FLEET	
5HP KEY, 6 ADDITIONAL KEYS	
AMF KEYLESS ENTRY (6 Keys total) — KEY, 2-SIDED	1 I 1 I 1 I
BVT REMOTE VEHICLE START	
provided on Double Cab and Crew Cab models. (Requires (AE7) front 40/20/40 split	¿ <b>i</b> i
untrimmed. Standard cloth rear seat with trim matching front seats will be	i i
	i i
. •	į į
9U3 SEATS, DRIVER AND PASSENGER FRONT, INDIVIDUAL SEATS IN CLOTH TRIM	
UVC REAR VISION CAMERA with dynamic guide lines	
DD8 MIRROR, INSIDE REARVIEW AUTO-DIMMING	
KI4 POWER OUTLET, 110-VOLT AC	
VK3 LICENSE PLATE BRACKET, FRONT	
AQQ REMOTE KEYLESS ENTRY	1 1
BLUETOOTH FOR PHONE personal cell phone connectivity to vehicle audio system	
including tailgate, front box top rail, gage hole plugs and lower tie down loops.	1 1
	;
,	
formulation. Liner is permanently bonded to the truck bed providing a water tight	.;
pressure, chemically bonded, sprayed-on polyurea & polyurethane liner	1 1
KASCHIE V V IN	formulation. Liner is permanently bonded to the truck bed providing a water tight seal. The textured, non-skid surface is black in color and robotically applied to yield consistent 90 mil floor and tailgate thickness along with 50 mil box sidewall thickness. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops.  BLUETOOTH FOR PHONE personal cell phone connectivity to vehicle audio system AQQ REMOTE KEYLESS ENTRY  WK3 LICENSE PLATE BRACKET, FRONT  KK4 POWER OUTLET, 110-VOLT AC  DD8 MIRROR, INSIDE REARVIEW AUTO-DIMMING  UVC REAR VISION CAMERA with dynamic guide lines  PU3 SEATS, DRIVER AND PASSENGER FRONT, INDIVIDUAL SEATS IN CLOTH TRIM Driver and passenger front individual seats in base cloth trim. Derived from a RPO (AET) 40-20-40 split bench seat with the 20% section removed. Seats are manual, not power. Does not include a floor console. All exposed floor area will remain untrimmed. Standard cloth rear seat with trim matching front seats will be provided on Double Cab and Crew Cab models. (Requires (AET) front 40/20/40 split BYT REMOTE VEHICLE START  AMF KEYLESS ENTRY (6 Keys total) — KEY, 2-SIDED  SHP KEY, 6 ADDITIONAL KEYS  SEZ KEY COMMON, COMPLETE VEHICLE FLEET  BS3 BACKUP ALARM, 97 DECIBELS (Not available with SEO (SFW) backup alarm calibration or (UY2) trailer wiring provisions.)  BX1 LABEL, FASTEN SAFETY BELTS "Fasten Safety Belts" reminder label on right hand and left hand front side door glass  VQ2 FLEET PROCESSING OPTION

- .1 A five-year priority service comprehensive maintenance program for each vehicle must be provided to include labor, OEM parts, material and miscellaneous Isupplies (1) to meet or exceed ALL factory recommended service and preventative maintenance schedules and (2) replace durable items. Durable items and associated inspections include but are not limited to:
  - Batteries
  - Tire rotations
  - Tire replacement, including mounting and balancing, for normal wear, recalls, and damage
  - Oil changes, to include oil filter and air filter consistent with manufacturer recommendations
  - Wiper blade inspection and replacement consistent with manufacturer **Irecommendations**
  - Brake inspection
  - Brake repair, including pads, shoes, drums, rotors, brake fluid flush and adjustments
  - Belts, inspection and replacement
  - Water pumps
  - Transmission inspection, fluid and filter change
  - Coolant system inspection and fluid service

SECTION 3: OTHER SPECIFICATIONS				
Please contact	Chris Manning for details on items below.			
.1 Motorola APX 6500 UHF R	adio	! ! ! !		
armrest, storage pocket ar				
	ger side mount, (complete Havis setup with the Dell DS- n for a Dell Latitude Rugged Extreme) docking station and			
	ck w/electric locks standard shotgun and Setina BLAC-t (NO HANDCUFF KEYS) [Must be compatiable with siren			
.5 Safe Stop Vehicle Anti-the	t System			
.6 4-way 12v power outlet				
.7 GPS/Navigation				
.8 Setina PB 450-L Push Bum	per w/PB-5 Fender Protector (red/blue front facing LED			
	g LED lights, siren spearker mounted on front bar)	; ;		
.9 Extendo Bed, Henderson E	omb Unit Model (power strips on Extendo Bed) w/ rear			
with water bowl and rubb	nerican aluminum K9 transport system kennels 2 halves er mat. Accessory; Ray Allen, Generation 2 F3 Series K-9 t Systems Heat alarm unit, Hot-n-Pop unit with Heat			
.11 Chevy Tahoe Kennel, Dual corrosion protection	dog, water bowl, mat. Spray kennel with Linex slip and			
.12 Two each Xantrex DC to A	C Xpower Inverter 5000 Inverter, 5000W (One mounted			
behind the front passenge	r seat and one mounted in the rear cargo area.)	! ! ! !		
.13 Tint side and rear windows	s at 20%			
.14 Fire Extinguisher 2 1/2lbs				
.15 First Aid Kit 10 person				
LED lighting. LED flood ligh		i i ! !		
Trailer Hitch class 3 gtw br	ackets and hitch capable of towing 8500lbs.			
BH82000 or Wallace Forge	nbination ball and pintle hitch with 2"ball. Buyers# # BPH-2000 with adapter plate. Buyers# PM107 or r equal. Include Hitch Pin & Clip			
<u> </u>	c #593084 or Cole Hersee #12063 pin type in addition to	! ! ! !		
<b></b>	must be present and operational.	! !		
.20 Electronic Brake Control K	elsey Hayes# 81741 or approved equal			
.21 Charge Guard battery prot				
	SECTION 4: CODE 3 CATALOG REFERENCE (LIGHTS & SII	RENS)		
.1 Lightbar: Multicolor	(1) Defender with TC <sup>2</sup> Light (Lights red/white			
Defender w/TC <sup>2</sup>	and blue/white, w/full front takedown and full	! ! ! !		
	sized ArrowStik in the rear)			
.2a Interior Rear Window	!(1) XT308RB Lightbar mounted on the top of the	<del></del>		
Lightbar	rear of the truck bed cap .	! ! ! !		
.2b <sub>1</sub>	(4) XT4RB: Rear Side Window Lights	,;		
.3 Exterior Lighting	(4) HB-6PAK Hide-A-Blast Corner LED System			
	(Like or Comparable)	! !		
.4a Flashers and Perimeter	(2) 920-10TH Headlight Flasher (Like or	<del>                                     </del>		
Lights	Comparable)			
!'		<del>-</del> <i>-</i> '		

.4b	(5) LXEXB1F-R Exterior Red Fender Lights, Cap		
	sides/rear and rear tailgate	' '	
.4c	(5) LXEXB1F-B Exterior Blue Fender Lights, Cap		
	sides/rear and rear tailgate	 	
.4d	(2) VTX609B VERTEX Super-LED-Light, Single Self		
	Contained Running Board Blue	! :	
.4e ı	(2) VTX609R VERTEX Super-LED-Light, Single Self		
	Contained Running Board Red	: :	
.4f	(4) XT4RB Mounted on Tool Box doors to be		
,	ivisible when doors are open.		
.4g  	(1) LXEXB1F-R License Plate Light Red		
.4h  	(1) LXEXB1F-B License Plate Light Blue		
.4i	(2) ENT2B3W SoundOff Intersector Lighthead,		
	under mirror mount, clear (Like or Comparable)		
.5a Siren and Speakers	(1) Z3 Siren Light Controller [Must be		
I I	compatiable with dual weapon system]		
.5b   :	(1) C3100 Mount on the Push Bumper Speaker		
.5d	(1) HWLFT11/Low Freq amp & speaker HOWLER		
	Low Frequency Amp and Low Frequency		
i	Speaker (Like or Comparable)		
.6a Wiring Installation	Wiring Block: Fuse panel blocks for 12+VDC,		
Schematics and Diagrams	ignition and ground located in vehicle console		
	utilizing standard ATC & ATM fuses		
.6b	Wiring Schematics: Vendor will supply custom		
1 :	wiring schematic/diagram of the installed		
	lelectrical components		
.6c	Wiring Labels: Custom printed wire displaying		
<u>i</u>	upfitter name and circuit identification for		
!	lighting, siren and all power connections		
.6d !	Wiring Routing: Accessory upfitter harness		
1	separate from vehicle to retain OEM warranty,		
	power for upfit taken directly from battery and		
	passed through resettable circuit breaker		
1	ilocated in engine bay. Vehicles are pre wired		
	with roof antennas, RG58 coaxial cable and		
	fused 12+VDC, Ignition and ground located in the console for radio installation by WMATA		
	I		
SECTION 5: ADDITIONAL ITEMS TO BE PROVIDED AND INSTALLED BY CONTRACTOR			
.1 FLEETWATCH GP92 SYSTEM	AVAILABLE FROM S&A SYSTEMS INC. PHONE: 972-722-1009		
	www.fleetwatch.com/product-gp92.php		
.2 COMPONENT MOUNTING	MOUNTING OF COMPONENTS AS SPECIFIED MAY	: :	
	NOT BE POSSIBLE DUE TO SOME VEHICLE'S		
	SPECIALIZED EQUIPMENT. IN THOSE CASES THE		
	CONTRACTOR MUST FIRST HAVE COMPONENT		
.3 READER (WHITE BOX):	I' OCATION APPROVED BY MMATA SHALL HAVE THE READER MOUNTED ON THE		
MOUNTING (PASSENGER	INTERIOR SIDE, REAR WINDOW THAT IS CLOSEST TO		
'VEHICLES)	THE EUELING DOOR	<u> </u>	

1.4	MODULE (BLACK BOX)	SHALL BE SECURELY MOUNTED INSIDE OF VEHICLE IN		
	I	AN AREA WHERE IT WILL NOT BE DAMAGED BY	i	
	1 1	NORMAL OPERATION. EASE OF MAINTENANCE AND	- ;	
	I I	REPLACMENT OF UNIT ALSO MUST BE CONSIDERED		
	!	I I	į	
	ANTENNA (SMALL GPS	SHALL BE MOUNTED ON THE FRONT DASH OR REAR	;	
	MODULE)	WINDOW DECK SO THAT THERE IS CLEAR (STRAIGHT	 	
	I I	IUP) VIEW OF THE SKY. WMATA'S PREFERENCE IS THE		
	i	REAR DECK. IT SHALL NOT OBSTRUCT THE	i	
	1 1	OPERATORS VIEW IF IS MOUNTED ON THE FRONT	- ;	
	] [	IDASH AREA	1	
.6	SYSTEM GROUND	MUST BE ATTACHED TO A DEDICATED CHASSIS		
- <u>-</u> -		IGROUND		
	BATTERY POWER (RED	MUST BE HOT AT ALL TIMES AND SHALL BE ACCESSED	į	
	ıWIRE)	FROM ONE OF THE VEHICLES EXISTING FUSE/	i	
	1 1	JUNCTION BOXES IN A MANNER NOT TO	I	
	!	COMPROMISE THE INTEGRITY OF THE CHOSEN	į	
	i I	CIRCUIT. THE MODULE MUST BE PROTECTED WITH A	i	
	1 1	IDEDICATED FUSE CIRCUIT BY THE USE OF AN ADD-A-	- !	
	!	FUSE STYLE TAP (COOPER BUSSMAN #BP/HHH OR	į	
	i	EQUIVILENT). IF THE VEHICLE DOES NOT SUPPORT	i	
	1 1	THIS CONNECTION TYPE CONTRACTOR MUST SUBMIT		
l	l '	AN INSTALLATION PLAN FOR WMATA TO REVIEW &	!	
.8	IGNITION POWER (WHITE	MUST HAVE BATTERY VOLTAGE AT ALL TIMES WHEN		
	WIRE)	THE KEY IS ON AND THE VEHICLE IS IN MOTION AND	;	
	 	BE OPEN WHEN THE KEY IS OFF. IT MUST BE	:	
	!	ACCESSED FROM ONE OF THE VEHICLES EXISTING		
	i	FUSE/ JUNCTION BOXES IN A MANNER NOT TO	i	
	1 1	COMPROMISE THE INTEGRITY OF THE CHOSEN		
	I I	CIRCUIT. THE MODULE MUST BE PROTECTED WITH A		
	i	DEDICATED FUSE CIRCUIT BY THE USE OF AN ADD-A-	į	
	! !	FUSE STYLE TAP (COOPER BUSSMAN #BP/HHH OR	- :	
	I I	EQUIVILENT). IF THE VEHICLE DOES NOT SUPPORT	I	
	į	THIS CONNECTION TYPE CONTRACTOR MUST SUBMIT	į	
	I I	AN INSTALLATION PLAN FOR WMATA TO REVIEW &	i	
	1 1	APPROVE	- :	
.9	ALL CONNECTIONS	MUST BE HARD WIRED, NO QUICK DISCONNECT		
	i i	'ELECTRICAL TERMINALS SHALL BE USED	i	
		ON 6: WARRANTY, ORIGINAL EQUIPMENT MANUFACTUR	RER (OE	M)
.1	WARRANTY	STARTS ON VEHICLE IN SERVICE DATE	į	
<u> </u>	COMMENCEMENT	DARTE & LAROR COVERED FOR TUREE (2) VEARS		
	FACTORY	PARTS & LABOR COVERED FOR THREE (3) YEARS/ 36,000 MILES		
			<u> </u>	
.3	POWERTRAIN, OEM	GAS ENGINE, FIVE (5) YEAR/ 60,000 MILES. DIESEL		
_	FACTORY CORROSION PROTECTION,	ENGINE, FIVE (5) YEAR/ 100,000 MILES FIVE (5) YEAR/ UNLIMITED MILES. UNDERCOATING &	•	
••	OEM FACTORY	RUST PROOFING ARE REQUIRED IF LESS THAN FIVE (5)	;	
	CLIMI LWCLOUT	YEARS	I I	
	!EMMISSIONS, OEM	!FIVE (5) YEAR / 50,000 MILES	<u>I</u>	
	FACTORY	TIVE (3) TEAN / 30,000 IVIILES	į	
	EXTENDED POWERTRAIN	SEVEN (7) YEARS/ 100,000 MILES	<u> </u>	
	WARRANTY, OEM FACTORY	•	1	
L	I	! !	!	
.7	ROADSIDE ASSISTANCE	FIVE (5) YEAR / 60,000 MILES	:	
		·		

	SECTION 7: INSPECTION & DELIVERY		
1	.1 ADVERTISING RESTRICTION CONTRACTOR SHALL NOT INSTALL ANY TRADE NAMES		
••	I	OR DECALS ON VEHICLE'S EXTERIOR	;
_	INCLUDED ALICADAGNIT		
٠.۷	WHEEL ALIGNMENT	WHEEL ALIGNMENT SHALL BE PERFORMED PRIOR TO	į
	ı I	IDELIVERY TO COMPLETED VEHICLE AFTER ALL	i
3	VEHICLE INSPECTION	SPECIFIED EQUIPMENT IS INSTALLED  'WMATA RESERVES THE RIGHT TO PERFORM ON-SITE  '	
.5	VEHICLE INSPECTION	ACCEPTANCE INSPECTIONS AT THE CONTRACTOR'S	i
	! !		;
.4	FIRST ARTICLE INSPECTION	FACILITIES PRIOR TO DELIVERY  A MINIMUM OF ONE (1) VEHICLE FROM EACH ITEM	
	(FAI)	NUMBER AWARDED SHALL BE INSPECTED BY	į
	I (	DESIGNATED WMATA EMPLOYEE(S) PRIOR TO ANY	i
	] 	VEHICLES FROM THE ITEM GROUP BEING DELIVERED	:
	I	TO WMATA SITE. CONTRACTOR SHALL CONTACT	į
	! !	<u>-</u>	;
	1 1	SERVICE VEHICLES FLEET MANAGER TO SCHEDULE	:
.5	DELIVERY NOTIFICATION	CONTRACTOR MUST NOTIFY THE SERVICE VEHICLES	i
	ı I	FLEET MANAGER PRIOR TO DELIVERY TO WMATA SITE	;
	[	] 	•
.6	KEYS	SIX (6) COMPLETE SETS OF KEYS FOR VEHICLE AND	<u>!</u>
	ı I	ANY ADDITIONAL EQUIPMENT (UTILITY OR AUXILLARY	i
	] 	DOORS AND/ OR TOOL BOXES), MUST BE PROVIDED	!
	  -	AT THE TIME OF DELIVERY. THE IGNITION & DOORS	į
	l İ	MUST BE KEYED ALIKE, WHERE APPLICABLE	i
	ļ Ī		1
.7	FUEL LEVEL	VEHICLE SHALL HAVE MINIMUM HALF OF A TANK OF	<u>:</u>
_		FUEL WHEN DELIVERED	<del>;</del>
٥. ا	TEMPORARY TAGS	IFROM THE STATE WHERE THE DEALER IS LOCATED	:
	I	MUST BE AFFIXED TO THE VEHICLE & PROPER	į
	ı I	TEMPORARY REGISTRATION SUPPLIED AT TIME OF	:
	] 	IDELIVERY. TAGS MUST BE VALID FOR A MINIMUM OF	:
	1	THIRTY (30) DAYS FROM DATE OF DELIVERY	į
.9	LEGAL STATUS	VEHICLES MUST MEET ALL FEDERAL, FTA & STATE	;
	I T	LAWS WHEN DELIVERED	<u> </u>
.10	CERTIFICATION OF ORIGIN	AN EXECUTABLE CERTIFICATE OF ORIGIN MUST BE	<u>!</u>
	I I	DELIVERED WITH VEHICLES	<u> </u>
.11	COMPLIANCE PRIOR TO	ALL NEW EQUIPMENT WILL BE INSPECTED FOR	-
	PAYMENT	CONFORMANCE TO THESE SPECIFICATIONS BEFORE	!
	ı 	FINAL ACCEPTANCE AND PAYMENT IS ISSUED	;
	<u> </u>	!	!

		CECTION O. ADDITIONAL DECLUDEMENTS	
<u>,                                    </u>	CERVACE RULLETING	SECTION 8: ADDITIONAL REQUIREMENTS	•
.1	SERVICE BULLETINS	ALL FACTORY SERVICE BULLETINS MUST BE SENT TO	
- <del>'</del>	SERVICE MANUALS	THE SERVICE VEHICLES FLEET MANAGER THREE (3) COMPLETE SETS OF MANUALS (CD	<u> </u>
ı 2. ا	SERVICE IVIAINUALS	FORMAT) PER VEHICLE TYPE MUST BE DELIVERED TO	
I		THE SERVICE VEHICLES FLEET MANAGER BEFORE ANY	
į		IVEHICLES ARE DELIVERED TO WMATA SITE	<u>.</u>
		I	
.3	SUB-CONTRACTOR(S)	CONTRACTOR SHALL PROVIDE COMPANY NAME,	
i		POINT OF CONTACT AND DETAILS OF WARRANTY	:
I I		LENGTH & COVERAGE FOR ANY MATERIALS AND/ OR	
. I		SERVICES PROVIDED BY SUB-CONTRACTOR(S). THIS	
į		INFORMATION MUST BE SUBMITTED TO THE SERVICE	!
i		VEHICLES FLEET MANAGER BEFORE ANY VEHICLES	i i
;		ARE DELIVERED	
	MTPD VEHICLES FLEET	ICHRIS MANNING	
İ	COORDINATOR:	600 5th STREET, NW	!
i		WASHINGTON D.C. 20001	; ;
		OFFICE: 301-618-7543	<b>.</b>
I		MOBILE: 202-689-5413	
		cmanning@wmata.com	I I
.4	SERVICE VEHICLES FLEET	ALAN CECIL	
į	MANAGER:	3500 PENNSY DRIVE	<u>.</u>
i		BUILDING F, ROOM 109	:
I I		iHYATTSVILLE, MD. 20785	
I I		PHONE: 301-618-7572	
!		agcecil@wmata.com	
.5	CONSUMABLE PARTS LIST	CONTRACTOR SHALL PROVIDE A LIST OF THE	
į		MANUFACTURER & MANUFACTURER PART NUMBERS	i
 		FOR THE ORIGINAL EQUIPMENT (OE) REPLACEMENT	<b>:</b>
I		PARTS OUTLINED IN THE CONSUMABLE PARTS LIST	
İ		BELOW. THIS LIST MUST BE SUBMITTED TO	
i i		DESIGNATED WMATA EMPLOYEE(S) AT FAI	
.6	INDIVIDUAL VEHICLE	CONTRACTOR SHALL COMPLETE LINES 2-28 ON THIS	
1	INFORMATION FORM	FORM FOR EACH VEHICLE DELIVERED. THIS	
į		DOCUMENT MUST BE SUBMITTED TO THE SERVICE	<u> </u>
ı I		VEHICLES FLEET MANAGER OR DESIGNATED WMATA	;
I I		EMPLOYEE PRIOR TO VEHICLE DELIVERY	

### **CONSUMABLE PARTS LIST**

VEHICLE SPECIFICATION: ITEM 1 Silverado 3500HD 4WD Crew Cab - Pickup Truck

ENTER NA IN MANUFACTURER 8	A PART NUMBER CELLS IF PART IS NOT APP	PLICABLE TO THIS SPECIFICATION
DESCRIPTION	MANUFACTURER	PART NUMBER
1 BATTERY		1
2 BOOT, IGNITION COIL		!
2 BRAKE DROIVI, NOTOR,		i
4 I STANT DROWN NOTON,		i
5 IBRARE PAUS/ SHUES,		<u> </u>
6 BRAKE PADS/ SHOES, REAR		1
7 BRAKE SHOES, PARKING		
8 BRAKE PEDAL PAD		i
9 ICAP, FUEL		i
10 ICAP, RADIATOR		<del> </del>
11 COIL, IGNITION		
12 DRIVE BELT		
13 DRIVE BELT		İ
14 FILTER, AIR		i
15 IFILTER, BREATHER		i
16 FILTER, COOLANT		
17 FILTER, ENGINE OIL		
18 FILTER, FUEL		i
10 FUTED FUEL CEDEDATOR		<del> </del>
20 I		<del> </del>
21 FILTER, HYDRAULIC		i i
22 FILTER, POWER STEERING		!
23 FILTER, TRANSMISSION		İ
24 IFLUID, AXLE, FRONT		i
25 IFLUID, AXLE, REAR		<del>-                                    </del>
26 FLUID, BRAKE		
27 FLUID, ENGINE COOLANT		
28 'FLUID, ENGINE OIL		i
29 FLUID, HYDRAULIC		i
FLUID, POWER STEERING		i
31 FLUID, TRANSFER CASE		
32 FLUID, TRANSMISSION		
33 GASKET, THERMOSTAT		!
34 HEADLIGHT, HIGH BEAM		i
35 HEADLIGHT, LOW BEAM		1
PCV VALVE		
37 SENSOR, TIRE PRESSURE		!
38 ICDADA DITICA		!
39 STRAP KIT, TIRE PRESSURE		i
THERMOSTAT		
11 TIRES, FRONT		l I
42 TIRES REAR		!
43 I WINDSHIELD WIPER		i
144 I		<del> </del>
45 WIRE SET, SPARK PLUG		

	INDIVIDUAL VEHICLE INFORMATION FORM		
1	Data Supplied By Contract	or	
2	Contractor Name		
3	PO Number		
4	Purchase Price		
5	Year		
6	Make		
7	Model		
8	Description		
9	VIN Number		
	Manufactured Date		
11	Gross Vehicle Weight (GV)	N)	
	Paint Code		
13	Key Code		
	Engine Displacement		
15	Engine Code		
	Fuel Type	GAS GAS/HYBRID DIESEL ELECTRIC	
17	Transmission Make/Mode	l	
	Transmission Code		
	Drive Type	AWD FWD RWD 4WD	
	Brake Type	ALL DISC DISC/DRUM ALL DRUM	
	Tandem Axle	☐ YES ☐ NO	
	High Rail	☐ YES ☐ NO	
	Wheelbase (Inches)		
24	Tire Make/Size (Front)		
	Tire Make/Size (Rear)		
	Lift Gate Make/Model/Ser		
	Snow Plow Make/Model/S		
28	Spreader Make/Model/Se	rial Number	

29 Below For WMATA	Use Only
30 Contract Info	
31 Fiscal Year	FY-15 GRANT VEHICLE PURCHASE
32 Item Number	ITEM 1
33 Mod Type	
34 Maximo Item Numb	er
35 Quantity	
<sup>36</sup> Vehicle Info	
37 Asset Type	TG-VH TG-EQ EQUIP AUXEQ
38 Vehicle Number	
39 Delivery Date	-
40 Fleet Code	
41 Tag/Title/Registrati	ion Info
42 Title Number	
43 Tag Number	
44 Registration Expirat	ion Date
45 DC Inspection Due D	Date
46 Taxation Tag	YES NO
47 Barcode Number	-
48 Body Style	
49 Registration Weight	
50 Acceptance Date	
51 Assignment Informa	ation
52 Department	
53 Department Code	
54 Requisition Number	
55 Vehicle Control Office	cer
56 Supervisor	
57 Location	
58 In-Service Date	
59 Replaced Vehicle	
60 Maximo Location No	umber